

 **ANCHOR**

by **Panasonic**

Fans



Soch Badlo...
Hawa Toh Badalti Rahegi !

NAYI HAWA
NAYI SOCH

Stars hai
toh savings hai...



INTRODUCTION

Growing in strength and stature for 60 years, PLSIND is recognized for its product quality, trust & innovation. Joining forces with Panasonic in 2007, the company today employs 8,750+ professionals, and is constantly looking to expand its horizons.

The Fans division of Panasonic Life Solutions Pvt. Ltd. constantly endeavours to deliver stellar products to the end-user and is vital towards the growth of Anchor as a preferred brand.



Established
1963



Aquisition
Apr, 2007



Sales
₹51+ Billion



Headquarter
Thane, India



Sales Offices
29



Organisation Strength
8,750+



Factories
6

Panasonic



Features


- HP (half pitch) motor with ball bearing
- Taper blade sirocco fan
- Curve-shaped backdraft shutter
- Super low noise level

FV-24CU9 / FV-17CU9


Model No.	Voltage		Air Volume		Consumption	Noise	Weight	Installation Space	Duct Size
	[V]	[Hz]	[m3/h]	[CFM]	[W]	[dB (A)]	[kg]	[mm]	[mm]
FV-24CU9	230	50	150	88	11	26	2.7	240 x 240	ø 100
FV-17CU9	230	50	85	50	8.5	24.5	1.7	177 x 177	ø 100

CEILING MOUNT VENTILATION FAN

FV-24CU9



FV-17CU9



Features


- Extraordinary silence 31[dB(A)]
- Insect Screening net
- Slim & sturdy design
- Lowest power consumption (less than a LED bulb)
- Built to last for lifetime*

FV-10EGD2 / FV-15EGD2

SPECIFICATIONS

Model No.	Voltage		Air Volume	Consumption	Noise	Weight	Speed	Wall Installation	Ceiling Installation
	[V]	[Hz]	[m3/h]	[W]	[dB (A)]	[kg]	[RPM]	Wood Frame Size [mm]	Hole Size [mm]
FV-10EGD2	230	50	82	4.6	34	0.8	2,680	120-130	Ø130~140
FV-15EGD2	230	50	170	6.0	37	0.9	2,250	165-175	Ø175~185

WALL MOUNT VENTILATION FAN - PIPE FAN



	A	B	C	D	E	F	G
FV-10EGD2	176	170	83	177	6	87	111
FV-15EGD2	230	220	86	231	6	89	155

HIGH ENERGY EFFICIENT RANGE (BLDC)

Beating soaring energy prices is a breeze with our range of BLDC products. These stylish, efficient fans are built on technology that provides maximum comfort while consuming the least possible energy. Choose BLDC for superior ventilation and unparalleled quality!

ROSALYN LS



Choco Brown
14218CBR

225 AIR DELIVERY



Creame White
14218CWH

Features

- BEE 5-star rating with more than 50% energy saving
- LED available in 3 color : cool white, natural white & warm white
- RF Remote Control Operation for LED & Fan ON/OFF & 6 Speed Control
- Full RPM even at low voltage with super efficient less noise motor
- Safety wire included

Remote control is lost & Ceiling Fan not rotating when switch is ON	We can operate the Ceiling Fan by manual mode as mentioned below.		
	Condition 1:- Fan ON through remote		
	1 st Cycle OFF — ON — OFF — ON 1-3 Sec. — immediate — 1-3 Sec.	2 nd Cycle	Receiver kit beep three times and fan speed will increase by 1 speed. If we repeat again, then speed will increase by 1 speed again and the same will be repeat up to max speed.
	Condition 2:- Fan OFF through remote		
	1 st Cycle OFF — ON — OFF — ON 1-3 Sec. — immediate — 1-3 Sec.	2 nd Cycle	Receiver kit beep three times and fan speed will set to 1 st speed. If we repeat again, then speed will increase by 1 speed again and the same will be repeat up to max speed.



For Environment & Health Protection



Cool White



Natural White



Warm White



Ring Type Magnet

Easy to assemble & replace .
Motor Jam issue Eliminated.
High Productivity.

Specification

Sweep (mm)	Speed (RPM)	Power (W)	LED (W)	Air Delivery (CMM)
1200	360	36	20	225

Saving Calculation	ROSALYN LS (only fan)	Ordinary Fan
Power Consumption per hour @ Highest speed (watt)	36	75
Unit Consumed per month @ 16 hrs./day	17.3	36
Electricity cost @ ₹ 9.5/- per unit for 2 years.	₹3,940	₹8,208
Savings in 2 years	₹4,268	

ROSALYN DYNAMIC

NEW



IS 374



Glossy White
14227GWH



Pearl Winter Blue
14227PWB



Dark Rich Wood
14227DRW

Features

- Premium attractive glossy finish & wooden texture for superior aesthetics
- Aerodynamic ABS blades are designed for higher performance and lesser sound level
- RF Remote Control Operation for Fan ON/OFF & 5 Speed Control
- Full RPM even at low voltage with super efficient less noise motor
- Safety wire included

Remote control is lost & Ceiling Fan not rotating when switch is ON

We can operate the Ceiling Fan by manual mode as mentioned below.

Condition 1 : Fan ON through remote

1st Cycle: OFF → ON → OFF → ON → OFF → ON → Fan will ON (at 4th speed)
5 Sec. immediate 5 Sec. immediate 5 Sec. immediate

Condition 2 : Fan OFF through remote

1st Cycle: OFF → ON → OFF → ON → OFF → ON → Fan will ON (at 4th speed)
5 Sec. immediate 5 Sec. immediate 5 Sec. immediate



For Environment & Health Protection



Ring Type Magnet

Easy to assemble & replace .
Motor Jam issue Eliminated.
High Productivity.

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	270	40	260

Saving Calculation	ROSALYN DYNAMIC	Ordinary Fan
Power Consumption per hour @ Highest speed (watt)	40	75
Unit Consumed per month @ 16 hrs./day	19.2	36
Electricity cost @ ₹ 9.5/- per unit for 2 years.	₹4,377	₹8,208
Savings in 2 years	₹3,830	

High Speed Fan



Matt White
14142MWH



- BEE 5-star rating with more than 50% energy saving
- 6 Speed + Turbospeed control with 2-4-6-8-10 hrs Auto OFF Function through remote
- IR Remote Control Operation for LED & Fan ON/OFF & Speed Control
- Full RPM even at low voltage with super efficient noiseless motor
- Safety wire included

1st Cycle 2nd Cycle 3rd Cycle

OFF → ON → OFF → ON → OFF → ON → Fan will ON (at 4th speed)

5-7 Sec. immediate 5-7 Sec. immediate 5-7 Sec. immediate



**For Environment &
Health Protection**

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
4 Blades	1200	370	31	210
3 Blades	1200	370	31	220



31W POWER



IS 374



Mocha
14142MCH



Mocha
14143MCH



Matt White
14143MWH



Easy to assemble & replace.
Motor Jam issue Eliminated.
High Productivity.

Saving Calculation	ECOBREEZ URBAN 3B ECOBREEZ URBAN 4B	Ordinary Fan
Power Consumption per hour @ Highest speed (watt)	31	75
Unit Consumed per month @ 16 hrs./day	14.9	36
Electricity cost @ ₹ 9.5/- per unit for 2 years.	₹3,393	₹8,208
Savings in 2 years	₹4,815	



RoHS
compliant

Ph Pb Cd
Cr+ Ni Pbb

1st Cycle 2nd Cycle 3rd Cycle

OFF → ON → OFF → ON → OFF → ON → Fan will ON (at 4th speed)

5-7 Sec. immediate 5-7 Sec. immediate 5-7 Sec. immediate



Easy to assemble & replace .
Motor Jam issue Eliminated.
High Productivity.

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	350	30	215
*900	450	25	150

Saving Calculation	INSPIRO 1200 mm	Ordinary Fan 1200 mm	INSPIRO 900 mm	Ordinary Fan 900 mm
Power Consumption per hour @ Highest speed (watt)	30	75	25	65
Unit Consumed per month @ 16 hrs./day	14.4	36	12	31
Electricity cost @ ₹ 9.5/- per unit for 2 years.	₹3,283	₹8,208	₹2,736	₹7,133
Savings in 2 years.	₹4,925		₹4,377	

FOR *900 MM FG CODE 14209

PREMIUM RANGE

The sky is the ultimate symbol of limitlessness. The area covered by the fans in this range is as wide in the expanse as the sky itself, their premiumness evoking the ultimate ideal of the sky itself.

OTRIX PRIME STAR

High Speed Fan



Grain Wood
14204GWD

Features

- Premium attractive colors to match interiors
- Superior air delivery fan
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Anti Dust coating enables easy cleaning of fans
- High-speed fan for greater air thrust



For Environment & Health Protection

Specification


Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220



Honey Gold Briken
14204HGB




Aurum Inky Gold
14204AIG



Foliage Ivory
14204FIV



Metallic Ivory Walnut
14204MIW



Foliage Brown
14204FBR



HARCON STAR

High Speed Fan



Choco Brown Copper
14194CBC



Honey Gold Briken
14194HGB



Pearl Winter Blue
14194PWB

Features

- Premium attractive colors to match interiors
- Superior air delivery fan
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Anti Dust coating enables easy cleaning of fans
- High-speed fan for greater air thrust



For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	54	220



SONORA DLX STAR

High Speed Fan



Soft Brown Copper
14191SBC

Features

- Decorative trim to compliment your interiors
- Premium classy colors in soft matt and semi glossy
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Anti Dust coating enables easy cleaning of fans
- High-speed fan for greater air thrust




For Environment &
Health Protection


Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
14191 SBC-HGB-MGR	1200	400	53	220
14192 SBC	*900	450	42	145

*900mm is available in Soft Brown Copper only.



Honey Gold Briken
14191HGB



Moss Green
14191MGR



CRUZE URBAN STAR

High Speed Fan



Pearl Winter Blue
14197PWB

Features

- High speed fan for greater air thrust
- Wider blades for effective air circulation
- Anti Dust coating enables easy cleaning of fans
- Superior air delivery fan
- Unique side body ring design
- Attractive trim design



For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220



Honey Gold Briken
14197HGB



Vintage Brownny
14197VBR




STANDARD RANGE

Our amazing range of fans give you cooling like it's a breath of fresh air. Making you feel you're one with nature again. This range is as essential and standard as air itself is; hence the perfect sync between the middle range and the air nomenclature.

ALTRIX STAR

High Speed Fan



Coffee Brown
14185CBR



Ruby
14185RB



Ivory
14185IV



Pearl Winter Blue
14185PWB



Luster White
14185LWH

Features

- High speed fan for greater air thrust
- High quality pre-greased double ball bearings for frictionless & noiseless working



For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	410	50	210



ALTRIX STAR 900

High Speed Fan



Coffee Brown
14186CBR



Ruby
14186RB



Ivory
14186IV



Luster White
14186LWH

Features

- High speed fan for greater air thrust
- High quality pre-greased double ball bearings for frictionless & noiseless working



For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
900	440	45	143



ALTRIX STAR 600

High Speed Fan



Coffee Brown
14149CBR

Features

- High speed fan for greater air thrust
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Blade for longer life & rust free



For Environment &
Health Protection


Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
600	810	60	115

Ruby
14149RB



Ivory
14149IV




Luster White
14149LWH



FINNAIR STAR

High Speed Fan



Ivory Gold



Smoke Brown Briken

Features

- High speed fan for greater air thrust
- Durable lifelong powder coating finish
- High quality pre-greased double ball bearings for frictionless & noiseless working



For Environment & Health Protection

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
14109 IGL-SBB	1200	390	50	210
14217 IGL-SBB	900	450	40	140



RAPIDO HS 900

High Speed Fan



White
14200WH

Features


- Powerful motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- High-speed fan for greater air thrust




For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
900	600	52	165



Ivory
14200IV



Brown
14200BR




ECONOMY RANGE

The ground is strong and unshakable, just like the performance of the fans in this category and the resulting confidence of the consumer.

COOLKING STAR 1400

Ceiling Fan



Brown
14118BR

Features

- Powerful motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working



For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1400	300	59	245



Ivory
14118IV




White
14118WH



COOLING STAR

High Speed Fan



Brown

Features


- Powerful motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- High-speed fan for greater air thrust



For Environment & Health Protection

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
14099 BR-IV-WH	1200	390	50	210
14117 BR-IV-WH	900	440	40	130



Ivory



White




TPW RANGE

Everyone wants to have just the best of everything especially when it is comes to the interiors of the house. Every house has its own language and we understand it. Hence, here we are with the TPW range of fans, where every design exceeds your expectations and its superior performance add a cherry on the cake.

ALTRIX HS

Table Fan



Orac White
14168OWH

Features

- Ability to withstand a wide range of voltages
- Finger proof powder coated guards
- Dynamically balanced blade for vibration-free rotation
- Jerk free & uniform oscillation
- Thermal overload protector for extra safety



For Environment &
Health Protection

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Table	400	2200	115	95



ALTRIX HS

Pedestal Fan



Orac White
14165OWH



Red-Black
14165RBK

Features

- Ability to withstand a wide range of voltages
- Finger proof powder coated guards
- Dynamically balanced blade for vibration-free rotation
- Jerk free & uniform oscillation
- Thermal overload protector for extra safety
- Fully adjustable height for a pedestal fan




For Environment &
Health Protection

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Pedestal	400	2200	115	95



Wall Fan



- Ability to withstand a wide range of voltages
- Finger proof powder coated guards
- Dynamically balanced blade for vibration-free rotation
- Jerk free & uniform oscillation
- Thermal overload protector for extra safety
- Pull cord control for speed and oscillation for wall fan



Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Wall	400	2200	115	95
Wall	300	2200	75	75



Table, Pedestal Fan



- **Ability to withstand a wide range of voltages**
- **Dynamically balanced blade for vibration-free rotation**
- **Thermal overload protector for extra safety**
- **Fully adjustable height for a pedestal fan**
- **Blade with 5 leaves**

RoHS
compliant

Ph Hg Cd
Cr+ Pb+ PB


Crystal White-Grey
14151CWG

**WIDE
OSCILLATION**

5 LEAVES

FLORA NEO


Table, Pedestal, Wall Fan



Graphite Grey
14154GGY



Graphite Grey
14153GGY



Graphite Grey
14155GGY

Features

- Ability to withstand a wide range of voltages
- Dynamically balanced blade for vibration free rotation
- Thermal overload protector for extra safety
- Fully adjustable height for a pedestal fan
- Pull cord control for speed and oscillation (Wall Fan)



For Environment &
Health Protection

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Table,Wall,Pedestal	400	1350	60	70

WIDE
OSCILLATION

FARRATA FP-03

NEW

Farrata Fan



Black
14199BK

Features

- Heavy-duty motor for longer life
- Aerodynamic blades give high air thrust
- High air delivery even at low voltage
- Fully adjustable height
- 3 speed rotary switch control

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Farrata FP-03	500	1400	130	120



For Environment &
Health Protection

FARRATA FP-04

NEW

Farrata Fan



Grey
14199GY

Features

- Heavy-duty motor for longer life
- Aerodynamic blades give high air thrust
- High air delivery even at low voltage
- Fully adjustable height
- 3 speed rotary switch control



For Environment &
Health Protection

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Farrata FP-04	500	1400	130	120

MULTI-PURPOSE RANGE

It's a choice you cannot resist

When you get multiple features in just a single thing, who wouldn't love it? A specially designed range of fans with aspirational qualities and classy looks, having multiple purposes is a choice no one can resist. Our multi-purpose range of fans are all set to give a modernized look to any corner of your house.

GRESTAR

Personal Fan



Grey
14085GY

Features

- Portable and light weight personal fan
- Multi position adjustment for constant air flow
- Attractive dual tone design
- Multi-purpose fan which can be used on table or wall
- 3 speed rotary switch control



For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
225	2500	50	28



OPTIO

Cabin Fan



White
14092WH

Features

- Ideal for ceiling mount in low height areas
- Rotating grill
- High speed motor
- Thermal fuse for extra safety



For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
300	2350	85	61




MINEO

Personal Fan



Grey
14002GY



Blue
14002BU

Features

- Versatile design that can be used on table/wall
- Portable and light weight
- Multi position adjustment for constant air flow
- Thermal fuse for extra safety



For Environment &
Health Protection

Specification


Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
230	2600	45	25




OPTIO MINI



Personal Fan



White
14178WH



Blue
14178BL

Features

- Portable and light weight personal fan
- Manually adjustable angle
- Oscillation function brings wider range of air flow
- Thermal overload protection for extra safety
- Multi-purpose fan which can be used on table or wall
- 3 speed rotary switch control



For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
230	2500	52	30



VENTILATION RANGE

**Why compromise, when you can have
the best of choice!**

**You wouldn't like when you have to compromise with anything that matters
to you right? Our ventilation range of fans wouldn't let you do that.**

**Designed with a modern class, it's performance
will blow out the unhealthy air, and will blow out your mind too.**

SMART AIR V-01

Pipe Series



White



Ivory



Stainless Steel



Wood


Features

- High performance motor
- Inbuilt front plate helps eliminate all unwanted odours and smoke
- Equipped with super-efficient motor for durability and designed with sleek aesthetics
- Safety guard for both sides



For Environment & Health Protection

DIMENSIONS (mm)



Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
14030 WH-IV-SS-WD	100	2500	22	90
14031 WH-IV-SS-WD	150	2100	25	240



Model	A	B	C	D	E
Smart Air V-01 100mm	158	157	82	108	35
Smart Air V-01 150mm	195	195	84	146	36

SMART AIR V-02

Pipe Series



White
14036WH



Ivory
14036IV



Black
14036BK

Features

- High performance motor
- Aesthetic design with powerful motor
- Inbuilt front grill helps eliminate all unwanted foreign material




For Environment & Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	2100	25	240



DIMENSIONS (mm)



Model	A	B	C	D	E
Smart Air V-02 150mm	150	197	144	62	25

SMART AIR V-03

Pipe Series



White
14176WH



Dark Rich Wood
14176DRW



Folium
14176FO



Ivory
14176IV

Features

- High performance motor
- Super efficient motor for better suction
- Safety guard for both side
- Exceptionally silent operation
- Easily removable front for cleaning




For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	2100	25	240



DIMENSIONS (mm)



Model	A	B	C	D
Smart Air V-03 150mm	152	215	85	40

SMART AIR V-04

Pipe Series



Black
14177BK



White
14177WH



Ivory
14177IV

Features

- High performance motor
- Super efficient motor for better suction
- Safety guard for both side
- Exceptionally silent operation
- Easily removable front for cleaning
- Grill with shutter




For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	2100	25	240



DIMENSIONS (mm)



Model	A	B	C	D
Smart Air V-04 150mm	152	209	85	37

SMART AIR GRILL

Plastic Ventilation



White
14988WH

Features

- Safety grill on front side.
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers
- Thermal Fuse for extra safety




For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
200	1300	40	550

DIMENSIONS (mm)



Model	A	B	C	D	E	Wood Frame Size
SMART AIR GRILL	200	294	240	87	67	245 x 245mm

SMART AIR HIGH SPEED

Plastic Ventilation



White



Black



Brown


Features

- High speed motor
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers
- Thermal Fuse for extra safety



For Environment &
Health Protection

DIMENSIONS (mm)



Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
14982WH-BK-BR	150	2500	40	500
14983WH-BK-BR	200	1900	60	765



Model	A	B	C	D	E	Wood Frame Size
Smart Air 150mm	150	244	191	75	30	195 x 195mm
Smart Air 200mm	200	294	240	87	40	245 x 245mm

SMART AIR

Plastic Ventilation



White



Black



Ivory

Features

- High performance motor
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers
- Thermal Fuse for extra safety




For Environment & Health Protection

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
13979WH-BK-IV	150	1350	35	300
13980WH-BK-IV	200	1300	40	550
13981IWH-BK-IV	250	1250	45	750

DIMENSIONS (mm)



Model	A	B	C	D	E	Wood Frame Size
Smart Air 150mm	150	244	191	75	30	195 x 195mm
Smart Air 200mm	200	294	240	87	40	245 x 245mm
Smart Air 250mm	250	344	291	91	40	295 x 295mm

SMART AIR COMPACT FIT

Plastic Ventilation




White
14172WH



Black
14172BK

DIMENSIONS (mm)



Model	A	B	C	D	E	Wood Frame Size
Smart Air 150mm	150	244	175	85	35	179 x 179mm

Existing			New		
A	B	C	A	B	C
Sweep (mm)	Back Frame Size (L x B)mm	Wood Frame Size (L x B)mm	Sweep (mm)	Back Frame Size (L x B)mm	Wood Frame Size (L x B)mm
150	191 x 191	195 x 195	150	175 x 175	179 x 179

Features

- High performance motor
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers
- Thermal Fuse for extra safety

Specification


Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	1350	35	300



For Environment &
Health Protection

SMART AIR ATTRACT

Plastic Ventilation



White
14184WH

Features

- High performance motor
- Suitable for window and wall mounted installation
- Inbuilt led light , enhance the decor and remove flying insects from room
- Compact design
- Automatic back louvers


Specification

Sweep (mm)	Speed (RPM)	Power (W)	LED	Air Delivery (CMH)
200	1800	55	5W	765



For Environment &
Health Protection

DIMENSIONS (mm)




Model	A	B	C	D	E	Wood Frame Size
SMART AIR ATTRACT	200	294	240	87	40	245 x 245mm

ANMOL HI-SPEED

Metal Exhaust Fan



Metallic Grey



Metallic Grey

Features


- High performance motor with a compact design
- Safety guard for protection from foreign particles



For Environment &
Health Protection

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
12098	150	2600	40	500
14984MGY	230	2650	50	950
14985MGY	300	2100	90	1600

DIMENSIONS (mm)




Model	A	B	C
Anmol Hi-speed 150mm	211	211	271
Anmol Hi-speed 230mm	233	233	270
Anmol Hi-speed 300mm	317	317	345



ANMOL

Metal Exhaust Fan



Metallic Grey

Features

- High performance motor with a compact design
- Safety guard for protection from foreign particles




For Environment & Health Protection

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
13159	230	1350	35	500
13160	300	1300	50	1250

DIMENSIONS (mm)



Model	A	B	C
Anmol 230mm	233	233	270
Anmol 300mm	317	317	345

SMART AIR

Ceiling Mount 01 Ventilation Fan



White
14174WH

Features

- Super efficient motor for better suction
- Safety guard for both side
- Easily removable front for cleaning
- Easy installation for ceiling application




For Environment & Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
100	1300	33	100

DIMENSIONS (mm)



Model	A	B	C	D	E
Smart Air Ceiling Mount 01	256	202	44	149	128

SMART AIR

Ceiling Mount 02 GR Ventilation Fan



White
14175WH

Features

- Super efficient motor for better suction
- Safety guard for both side
- Easily removable front for cleaning
- Easy installation for ceiling application




For Environment &
Health Protection

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
100	1300	33	100

DIMENSIONS (mm)



Model	A	B	C	D	E
Smart Air Ceiling Mount 02 GR	256	202	44	149	128

COMMERCIAL RANGE

It's a choice you cannot resist Your simple choice can attract the world

Not just homes, but offices, schools, retail outlets make an impression too.


Their interiors and exteriors tell their story to the world in their own way.

With this fact, it is absolutely necessary to style it in a manner that attracts the world. And so, our commercial range of fans are here to achieve this milestone.

No matter what location it is, making it modern is our prime motto.

ANMOL DELUXE

Metal Exhaust Fan



Metallic Grey

Features

- High performance motor with a compact design
- Sturdy metal body with double ball bearings
- Safety guard for protection from foreign particles




For Environment & Health Protection

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
14029	300	1300	65	1750
14028	230	1350	40	750


DIMENSIONS (mm)



Model	A	B	C
Anmol Deluxe 300mm	303	303	345
Anmol Deluxe 230mm	233	233	254

ANMOL HEAVY DUTY

Heavy Duty Exhaust Fan



IP55 Protection

Grey

Features

- Durable epoxy powder coated finish
- Efficient heavy duty motor with double ball bearings
- Sturdy metal body with metal blades



For Environment & Health Protection

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
14050GY	450	1400	410	6120
14049GY	380	1400	160	3250
14048GY	300	1400	90	1710


IS 2312



CM/L-8300030094

www.bis.gov.in

DIMENSIONS (mm)



Size of Fan	H	X	D	S
Anmol Heavy Duty 450mm	11	455	480	450
Anmol Heavy Duty 380mm	11	375	400	380
Anmol Heavy Duty 300mm	11	313	320	300

PRODUCT DETAILS		STANDARD PACKING	SWEEP (MM)	SPEED (RPM)	POWER (W)	AIR DELIVERY (CMM)	STAR RATING
BLDC RANGE	ROSALYN LS	1	1200	360	36 (only fan)	225	
	ROSALYN DYNAMIC	1	1200	270	40	260	
	ECOBREEZ URBAN 4B	2	1200	370	31	210	
	ECOBREEZ URBAN 3B	2	1200	370	31	220	
	INSPIRIO	3	1200	350	30	215	
	INSPIRIO 900	2	900	450	25	150	
PREMIUM RANGE	OTRIX PRIME STAR	2	1200	400	53	220	
	HARCON STAR	2	1200	400	54	220	
	SONORA DLX STAR	4	1200	400	53	220	
	SONORA DLX STAR 900	4	900	450	42	145	
	CRUZE URBAN STAR	4	1200	400	53	220	
STANDARD RANGE	ALTRIX STAR	6	1200	410	50	210	
	ALTRIX STAR 900	6	900	440	45	143	
	ALTRIX STAR 600	6	600	810	60	115	
	FINNAIR STAR	4	1200	390	50	210	
	FINNAIR STAR 900	4	900	450	40	140	
	RAPIDO HS 900	2	900	600	52	165	
ECONOMY RANGE	COOLKING STAR	4	1200	390	50	210	
	COOLKING STAR 900	4	900	440	40	130	
	COOLKING STAR 1400	4	1400	300	59	245	

PRODUCT DETAILS			STANDARD PACKING	SWEEP (MM)	SPEED (RPM)	POWER (W)	AIR DELIVERY (CMH)
TPW RANGE	TABLE FAN	ALTRIX HS	1	400	2200	115	95 (CMM)
		FLORA NEO	1	400	1350	60	70 (CMM)
		PENTA TURBO	1	400	1350	60	70 (CMM)
	PEDESTAL FAN	ALTRIX HS	1	400	2200	115	95 (CMM)
		FLORA NEO	1	400	1350	60	70 (CMM)
		PENTA TURBO	1	400	1350	60	70 (CMM)
	WALL FAN	ALTRIX HS	1	400	2200	115	95 (CMM)
		ALTRIX HS	1	300	2200	75	75 (CMM)
		FLORA NEO	1	400	1350	60	70 (CMM)
FARRATA	FARRATA	FARRATA FP-03	2	500	1400	130	120 (CMM)
		FARRATA FP-04	2	500	1400	130	120 (CMM)
MULTI-PURPOSE RANGE	PERSONAL FAN	MINEO	4	230	2600	45	25 (CMM)
		OPTIO	4	300	2350	85	61 (CMM)
		GRESTAR	3	225	2500	50	28 (CMM)
		OPTIO MINI	4	230	2500	52	30 (CMM)
VENTILATION RANGE	PIPE SERIES	SMART AIR V-01	6	100	2500	22	90
			6	150	2100	25	240
		SMART AIR V-02	6	150	2100	25	240
		SMART AIR V-03	6	150	2300	26	240
		SMART AIR V-04	6	150	2300	26	240
	PLASTIC VENTILATION	SMART AIR GRILL	4	200	1300	40	550
		SMART AIR HIGH SPEED	6	150	2500	40	500
			4	200	1900	60	765
		SMART AIR	6	150	1350	35	300
			4	200	1300	40	550
			4	250	1250	45	750
		SMART AIR COMPACT FIT 150	6	150	1350	35	300
		SMART AIR ATTRACT 200	4	200	1800	55 (only fan)	765

PRODUCT DETAILS			STANDARD PACKING	SWEEP (MM)	SPEED (RPM)	POWER (W)	AIR DELIVERY (CMH)
VENTILATION RANGE	METAL EXHAUST FAN	ANMOL HI-SPEED	6	150	2600	40	500
			4	230	2650	50	950
			4	300	2100	90	1600
		ANMOL	4	230	1350	35	500
			4	300	1300	50	1250
	CEILING MOUNT	SMART AIR CEILING MOUNT 01	4	100 (Duct Dia)	1300	33	100
		SMART AIR CEILING MOUNT 02 GR	4	100 (Duct Dia)	1300	33	100
	PIPE SERIES	PANASONIC FV-10EGD2	1	115 (Duct Dia)	2680	4.6	82
		PANASONIC FV-15EGD2	1	160 (Duct Dia)	2250	6	170
	CEILING MOUNT	PANASONIC FV-17CU9	1	85 (Duct Dia)	—	8.5	85
		PANASONIC FV-24CU9	1	150 (Duct Dia)	—	11	150
COMMERCIAL RANGE	HEAVY DUTY METAL EXHAUST FAN	ANMOL DELUXE	4	230	1350	40	750
			4	300	1300	65	1750
		ANMOL HEAVY DUTY	2	300	1400	90	1710
			2	380	1400	160	3250
			2	450	1400	410	6120

 **ANCHOR**

by **Panasonic**

Nayi Hawa Nayi Soch

PANASONIC LIFE SOLUTIONS INDIA PVT. LTD.

Registered office : 12th Floor, Ambience Tower, Ambience Island,
NH-48, Gurugram - 122 002, Haryana.

For queries and communication : 3rd Floor, B wing, I-Think Techno Campus,
Pokharan Road No.2, Thane - 400607, Maharashtra.

T: (022)42228888 | **F:** (022)42228884

Customer Care No.: (022)41304130 | **WhatsApp No.:** 91360 28606

Email: wecare@in.panasonic.com | www.lsin.panasonic.com