


LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated
Industrial Cables
Flamegard - Flame Retardant Low Smoke
(FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant
(HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables



Residential & Commercial



List Price wef. 16 April 2024



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Flame Retardant (FR) PVC Insulated Industrial Cables



List Price wef. 16 April 2024

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1,210	20
10303	1.00	1,675	20
10304	1.50	2,450	12
10305	2.50	3,895	12
10306	4.00	5,675	8
10307	6.00	8,480	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1,160	20
10313	1.00	1,505	20
10314	1.50	2,185	12
10315	2.50	3,525	12
10316	4.00	5,435	8
10317	6.00	8,115	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	2,885	8
10314	1.50	4,220	6
10315	2.50	6,850	4
10306016	4.00	10,630	4
10307016	6.00	15,920	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	720	30
10314	1.50	1,055	24
10315	2.50	1,715	24
10316	4.00	2,660	12
10317	6.00	3,980	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 16 April 2024

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR-LSH) PVC INSULATED INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	1,520	20
10114	1.50	2,205	12
10115	2.50	3,560	12
10106	4.00	5,485	8
10107	6.00	8,200	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10113016	1.00	2,915	8
10114016	1.50	4,260	6
10115016	2.50	6,915	4
10106016	4.00	10,735	4
10107016	6.00	16,080	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	730	30
10114	1.50	1,065	24
10115	2.50	1,730	24
10106	4.00	2,685	12
10107	6.00	4,020	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 16 April 2024

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES
FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10403	1.00	1,580	20
10404	1.50	2,295	12
10405	2.50	3,700	12

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	5,705	8
10407	6.00	8,520	4

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	LP per coil Rs.	Length per coil	No. of Coils packed in a Master Carton
10403010	1.00	4,585	270	8
10404010	1.50	6,705	270	6
10405010	2.50	10,870	270	4
10406016	4.00	11,170	180	4
10407016	6.00	16,680	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
 COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flexible Cables



FLEXIBLE CABLES - SINGLE CORE
FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14001	0.50	845
14002	0.75	1,235
14003	1.00	1,595

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14104	1.50	2,345
14105	2.50	3,785
14206	4.00	5,820

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14207	6	8,735
14208	10	15,180
14209	16	23,510
14210	25	36,735
14211	35	51,285
14212	50	72,720

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14513	70	1,05,945
14514	95*	1,40,155
14515	120*	1,79,975
14516	150*	2,22,890
14517	185*	2,75,465
14518	240*	3,62,140

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17002	0.50	2,285
17002	0.75	3,130
17002	1.00	3,890

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17102	1.50	5,250
17102	2.50	8,475
17202	4.00	13,235

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC.

Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17003	0.50	3,070
17003	0.75	4,255
17003	1.00	5,365

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17103	1.50	7,430
17103	2.50	11,885
17203	4.00	18,795

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC.

Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17004	0.50	3,895
17004	0.75	5,420
17004	1.00	6,920

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17104	1.50	9,735
17104	2.50	15,725
17204	4.00	24,780

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17006	0.50	5,765
17006	0.75	8,245
17006	1.00	10,410

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17106	1.50	14,650
17106	2.50	23,705
17206	4.00	37,520

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	6,740
17008	0.75	9,450
17008	1.00	12,055

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17107	1.50	17,035
17107	2.50	27,535
17207	4.00	43,400

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	7,570
17008	0.75	10,680
17008	1.00	13,605

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17108	1.50	19,385
17108	2.50	31,420
17208	4.00	49,440

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17010	0.50	9,185
17010	0.75	13,175
17010	1.00	16,820

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17110	1.50	23,845
17110	2.50	38,740
17210	4.00	61,300

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17012	0.50	10,870
17012	0.75	15,620
17012	1.00	19,985

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17112	1.50	28,345
17112	2.50	46,385
17212	4.00	73,170

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17014	0.50	12,685
17014	0.75	18,080
17014	1.00	23,165

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17114	1.50	33,130
17114	2.50	54,065
17214	4.00	84,960

SIXTEEN CORES (8 +11)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17016	0.50	14,380
17016	0.75	20,685
17016	1.00	26,500

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17116	1.50	37,690
17116	2.50	61,545
17216	4.00	97,210

NINETEEN CORES (1+6 + 12)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17019	0.50	16,830
17019	0.75	24,265
17019	1.00	31,330

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17119	1.50	44,540
17119	2.50	72,350
17219	4.00	1,14,730

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203074	6	27,865
17203084	10	47,760
17203094	16*	74,080
17203104	25*	1,14,415
17203114	35*	1,60,355

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203124	50*	2,30,020
17503134	70*	3,24,770
17503144	95*	4,28,685
17503154	120*	5,72,555

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204074	6	36,550
17204084	10	62,455
17204094	16*	96,500
17204104	25*	151,435
17204114	35*	211,555

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204124	50*	301,385
17504134	70*	429,345
17504144	95*	567,800
17504154	120*	741,725

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing : Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Coaxial Cables – Jelly



List Price wef. 16 April 2024

COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,700	5,185
RG 6 CU	2,355	7,183
RG 11 CU	5,355	16,333

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,480	4,514
RG 11 CCS	2,970	9,059

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,395	10,355

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL. Wire braid, Jelly flooded and PVC Jacketing in Black colour.

CCTV Cable



Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	2,945
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	9,980
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,220
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	10,912
65916013	RG59 JF XI +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,755
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	12,725
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	1685
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3325
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	1875
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	3720
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	1925
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3805
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2155
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4250

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDANT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	775
31050023	2 pair	1,380
31050033	3 pair	2,035
31050043	4 pair	2,680
31050053	5 pair	3,340

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	6,485
31050203	2D pair	12,380
31050503	50 pair	30,350
31051001	100 pair	59,220

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardant PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	545
31040023	2 pair	960
31040033	3 pair	1,420
31040043	4 pair	1,825
31040053	5 pair	2,245

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,520
31040203	20 pair	8,505
31040503	50 pair	20,580
31041001	100 pair	39,450


Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	8,675
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	10,710
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	10,710
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	10,710
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	10,710
32925048	0.5x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	6,220
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,430
32955048	0.5x4P UTP CAT-6 CCA LAN 305 X 2	305 Mtr	7,675
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	14,980
32245044	0.5 x4P UTP CAT6 LAN *GRY* 100M X 2	305 Mtr	3,511
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	10,353
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	17,958




Speaker Cable



List Price wef. 16 April 2024

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM [Transparent]	6	100 Mtr	1,725
60325024	Speaker Cable 0.75 SQMM [Transparent]	6	100 Mtr	2,530
60326024	Speaker Cable 1 SQMM [Transparent]	6	100 Mtr	3,130
60327024	Speaker Cable 1.5 SQMM [Transparent]	6	100 Mtr	4,650
60328024	Speaker Cable 2.0 SQMM [Transparent]	6	100 Mtr	7,210
60329024	Speaker Cable 2.5 SQMM [Transparent]100M	6	100 Mtr	7,720
60324022	Speaker Cable 0.50 SQ MM [Transparent] 25 M	24	25 Mtr	430
60325022	Speaker Cable 0.75 SQ MM [Transparent] 25 M	24	25 Mtr	635
60326022	Speaker Cable 1.00 SQ MM [Transparent] 25 M	24	25 Mtr	785
60327022	Speaker Cable 1.50 SQ MM [Transparent] 25 M	24	25 Mtr	1,165

PACKING : Available in 100 M coils AND 25 M coil



Agriculture



High grade
99.97% pure bare
copper conductor




Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	8,040
13713051	2.50	12,480
13703061	4.00	18,615
13803071	6.00	27,285
13803081	10.00	47,395
13803091	16.00	73,395

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	114,775
13803111	35.00	158,885
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	8,440
13863059	2.50	13,105

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	19,545

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	28,648
13823089	10.00	49,761
13823099	16.00	77,059

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	120,507
13823119	35.00	166,824

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	17,640
13853089	14	140/.36	29,275
13853099	23	226/.36	46,425

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	68,425
13853119	50	594/.36	94,250

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires




List Price wef. 16 April 2024

PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	485	1000	6
13000602	0.60	485	500	6
13000701	0.70	655	1000	6
13000702	0.70	655	500	6
13000801	0.80	850	1000	6
13000802	0.80	850	500	6
13000901	0.90	1065	1000	5
13000902	0.90	1065	500	6
13001001	1.00	1,305	1000	5
13001002	1.00	1,305	500	6
13001101	1.10	1,570	1000	4
13001102	1.10	1,570	500	6
13001201	1.20	1,855	1000	4
13001202	1.20	1,855	500	6
13001301	1.30	2,170	1000	3
13001302	1.30	2,170	500	6
13001402	1.40	2,525	500	5
13001502	1.50	2,890	500	5
13001602	1.60	3,280	500	4
13001702	1.70	3,695	500	4
13001802	1.80	4,145	500	4
13001902	1.90	4,610	500	3
13002002	2.00	5,135	500	3
13002102	2.10	5,655	500	3
13002202	2.20	6,190	500	2
13002302	2.30	6,755	500	2
13002402	2.40	7,365	500	2
13002502	2.50	7,985	500	2
13002602	2.60	8,625	500	2
13002702	2.70	9,285	500	2
13002804	2.80*	10,005	250	3
13003004	3.00*	11,460	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
 PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



List Price wef. 16 April 2024



High thermal rating to withstand extreme temperatures



Excellent resistant to heat pressure



Long life & highly durable cables

Auto Battery Cables



List Price wef. 16 April 2024

AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	5,870	23,510
22210	354/.3	25	9,190	36,735
22211	495/.3	35	12,820	51,285
22212	703/.3	50	18,180	72,720
22513	360/.5	70	26,495	105,945
22514	475/.5 *	95	35,035	140,155
22515	608/.5 *	120	44,995	179,975
22516	750/.5 *	150	55,720	222,890
22517	925/.5 *	185	68,865	275,465
22518	1221/.5 *	240	90,535	362,140

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	830	3,320

105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	205	810
2302	24/.21	0.75	305	1,210
2303	32/.21	1.00	405	1,605
2304	30/.26	1.50	590	2,355
2305	50/.26	2.50	980	3,900
2306	56/.31	4.00	1,620	6,465
2307	84/.31	6.00	2,405	9,605

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE: The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

Solar Cables

List Price wef. 16 April 2024



SOLAR DC CABLE

FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007

**Product Code	Conductor Area (sq.mm.)	List Price per 100 Mtr (Rs.)	Packing
16906011	4	7,890	STANDARD LENGTH OF 500 MTR
16907011	6	11,070	STANDARD LENGTH OF 300 MTR

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	<p>The full product code is of 8 digits. For example : 22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m 22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.</p> <p>a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor.</p> <p>b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.</p> <p>c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.</p> <p>d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.</p>
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: www.finolex.com | /Finolexcables | /Finolexcables | /Finolex.Cables



Finolex
Cables Limited

AN IS/ISO 9001:2015 CERTIFIED COMPANY

26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
 Tel: 020-27506200 | Fax: 020-27472239
 Visit us at: www.finolex.com | Email: sales@finolex.com
 CIN: L31300MH1967PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | **Bengaluru:** 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | **Chennai:** 044-28269322 /
 28231514 | **Chandigarh:** 0172-4064047 | **Cochin:** 9388689670 |
Coimbatore: 0422-2330997 | **Dharwad:** 8362746440 | **Goa:** 8322782003 /
 2782065 | **Gurgaon:** 9896763770 | **Guwahati:** 9864027312 / 8135029423
 | **Indore:** 7314911723 | **Jaipur:** 9929111411 | **Kolkata:** 033-24192494 /
 24192495 | **Lucknow:** 052-24035031 | **Mumbai:** 022-22820062 | **New**
Delhi: 011-23324748 / 23353160 | **Patna:** 9934107999 | **Pune:**
 020-27506200 | **Raipur:** 7008336581 | **Ranchi:** 8101383841 |
Secunderabad: 040-27811161 | **Uttarakhand:** 9760045003 | **Vadodara:**
 9879555568 | **Vijayawada:** 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.