

**LIST PRICE**



**Gloster Cables Limited**

**Domestic Cables**

Single Core 0.5 To 6 Sqmm  
Standard Packing 90/180/270 Meters

**Flexible Cables**

Single Core And Multi Core  
Standard Packing 100 meters

**Flat Submersible Cables**

3 Core Cables For Pump Motors



Manufacturing As Per  
IS 694 : 2010 Standards

**ISO 9001:2015**



DNV Certification B.V., The Netherlands

**Safety Is Not Expensive. It Is Priceless !!!!!**



# TRIPLE LAYER FRLSH



HR-FRLSH+FRLSH+FRLSH

(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen)



**Safety Is Not Expensive. It Is Priceless !!!!!**

## PRICE LIST FOR DOMESTIC CABLES


## 90 Meters

PRICE LIST NO : GCL/DOM/AUG-2024

WITH EFFECT FROM :19/08/2024

“GLOSTER” Single Core Unsheathed **TRIPLE LAYER FRLSH** : HR-FRLSH+FRLSH+FRLSH  
(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen) PVC Insulated Heavy Duty Industrial Cable  
With Flexible Bright Annealed Electrolytic Copper Conductor For Voltage Grade Up To 1100 Volts Conforming  
To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil (90 Meters)	No. Of Coils In Master Carton
0.50	16/0.20	935	28 Coils
0.75	24/0.20	1320	24 Coils
1.00	32/0.20	1715	16 Coils
1.50	30/0.25	2395	12 Coils
2.50	50/0.25	3960	8 Coils
4.00	56/0.30	6080	6 Coils
6.00	84/0.30	9060	4 Coils



As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 90 meters in mono carton box, 180 and 270 meters in poly pouch.

Shipping : Packed in corrugated master boxes.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)



# TRIPLE LAYER FRLSH



HR-FRLSH+FRLSH+FRLSH

(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen)



**Safety Is Not Expensive. it Is Priceless !!!!!**

## PRICE LIST FOR DOMESTIC CABLES


## 180 Meters

PRICE LIST NO : GCL/DOM/AUG-2024

WITH EFFECT FROM :19/08/2024

“GLOSTER” Single Core Unsheathed **TRIPLE LAYER FRLSH** : HR-FRLSH+FRLSH+FRLSH  
(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen) PVC Insulated Heavy Duty Industrial Cable  
With Flexible Bright Annealed Electrolytic Copper Conductor For Voltage Grade Up To 1100 Volts Conforming  
To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil (180 Meters)	No. Of Coils In Master Carton
0.75	24/0.20	2640	12 Coils
1.00	32/0.20	3430	8 Coils
1.50	30/0.25	4790	6 Coils
2.50	50/0.25	7920	4 Coils
4.00	56/0.30	12160	3 Coils
6.00	84/0.30	18120	2 Coils



As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 90 meters in mono carton box, 180 and 270 meters in poly pouch.

Shipping : Packed in corrugated master boxes.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)

# TRIPLE LAYER FRLSH



HR-FRLSH+FRLSH+FRLSH

(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen)



**Safety Is Not Expensive. it Is Priceless !!!!!**

## PRICE LIST FOR DOMESTIC CABLES


## 270 Meters

PRICE LIST NO : GCL/DOM/AUG-2024

WITH EFFECT FROM :19/08/2024

“GLOSTER” Single Core Unsheathed **TRIPLE LAYER FRLSH** : HR-FRLSH+FRLSH+FRLSH  
(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen) PVC Insulated Heavy Duty Industrial Cable  
With Flexible Bright Annealed Electrolytic Copper Conductor For Voltage Grade Up To 1100 Volts Conforming  
To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil (270 Meters)	No. Of Coils In Master Carton
1.00	32/0.20	5145	6 Coils
1.50	30/0.25	7185	4 Coils
2.50	50/0.25	11880	3 Coils
4.00	56/0.30	18240	2 Coils
6.00	84/0.30	27180	2 Coils



As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 90 meters in mono carton box, 180 and 270 meters in poly pouch.

Shipping : Packed in corrugated master boxes.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)



# PRICE LIST FOR FLEXIBLE CABLES

Rate/100 Meters



**Safety Is Not Expensive. it Is Priceless !!!!!**

PRICE LIST NO : GCL/FLEX/AUG-2024

WITH EFFECT FROM :19/08/2024



“GLOSTER” **SINGLE CORE** Unsheathed **FRLSH** PVC Insulated Industrial Cables With Flexible Bright Annealed Copper Conductor For Voltage Grade Up To 1100 Volts Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
10.00	80/0.40	18560	70.00	360/0.50	125025	240.00	1221/0.50	428920
16.00	126/0.40	28675	95.00	475/0.50	167170	300.00	1525/0.50	532175
25.00	196/0.40	44425	120.00	608/0.50	214040	400.00	2013/0.50	715455
35.00	276/0.40	61525	150.00	750/0.50	263820	500.00	1769/0.50	905540
50.00	396/0.40	89820	185.00	925/0.50	327920	630.00	2196/0.50	1231020

## 2-Core Flexible Cables

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
0.5	16/0.20	3100	4.00	56/0.30	16395	35.00	276/0.40	128995
0.75	24/0.20	4075	6.00	84/0.30	23775	50.00	396/0.40	193965
1.00	32/0.20	4995	10.00	80/0.40	39435	70.00	360/0.50	263225
1.50	30/0.25	6460	16.00	126/0.40	61195	95.00	475/0.50	343325
2.50	50/0.25	10390	25.00	196/0.40	93935	120.00	608/0.50	438490

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 100 meters coils, poly wrapped. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)

# PRICE LIST FOR FLEXIBLE CABLES

Rate/100 Meters



**Safety Is Not Expensive. it Is Priceless !!!!!**

PRICE LIST NO : GCL/DOM/AUG-2024

WITH EFFECT FROM :19/08/2024

## 3-Core Flexible Cables

"GLOSTER" Multi Core PVC Insulated, PVC Sheathed Industrial Cables With Flexible Bright Annealed Copper Conductor For Voltage Grade Up To 1100 Volts Conforming/Generally Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
0.5	16/0.20	4080	4.00	56/0.30	23360	35.00	276/0.40	191400
0.75	24/0.20	5475	6.00	84/0.30	34025	50.00	396/0.40	274785
1.00	32/0.20	6820	10.00	80/0.40	56965	70.00	360/0.50	379120
1.50	30/0.25	9185	16.00	126/0.40	89275	95.00	475/0.50	499785
2.50	50/0.25	14995	25.00	196/0.40	138050	120.00	608/0.50	641215

## 4-Core Flexible Cables

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
0.5	16/0.20	5150	4.00	56/0.30	30825	35.00	276/0.40	250750
0.75	24/0.20	7115	6.00	84/0.30	44740	50.00	396/0.40	357400
1.00	32/0.20	8730	10.00	80/0.40	75115	70.00	360/0.50	506230
1.50	30/0.25	12240	16.00	126/0.40	116390	95.00	475/0.50	668945
2.50	50/0.25	19760	25.00	196/0.40	181045	120.00	608/0.50	880185

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 100 meters coils, poly wrapped. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)



# PRICE LIST FOR FLEXIBLE CABLES

Rate/100 Meters



**Safety Is Not Expensive. it Is Priceless !!!!!**

PRICE LIST NO : GCL/FLEX/AUG-2024

WITH EFFECT FROM :19/08/2024

## 5 Core To 10 Core Flexible Cables

"GLOSTER" Multi Core PVC Insulated, PVC Sheathed Industrial Cables With Flexible Bright Annealed Copper Conductor For Voltage Grade Up To 1100 Volts Conforming/Generally Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	5-Cores	6-Cores	7-Cores	8-Cores	10-Cores
0.5	16/0.20	6490	7510	8880	10015	12695
0.75	24/0.20	9040	10655	12230	13605	17395
1.00	32/0.20	11530	13705	15290	17085	21945
1.50	30/0.25	15130	17900	21120	24040	30220
2.50	50/0.25	24300	28915	33935	38715	48995
4.00	56/0.30	38215	45430	53440	60490	76690
6.00	84/0.30	55905	67280	79885	93085	122590

## 12 Core To 24 Core Flexible Cables

Size (Sqmm)	No. Of Wires Wire Dia	12-Cores	14-Cores	16-Cores	19-Cores	24-Cores
0.5	16/0.20	14795	17315	19410	22370	30175
0.75	24/0.20	21120	24200	28160	32535	42430
1.00	32/0.20	25745	29870	34615	40990	53335
1.50	30/0.25	35215	41660	47660	56145	77605
2.50	50/0.25	58135	67740	77460	90935	126770
4.00	56/0.30	91890	105245	121500	142950	200285
6.00	84/0.30	138775	165965	188865	223940	272280

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 100 meters coils, poly wrapped. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)

# PRICE LIST FOR 3 CORE FLAT SUBMERSIBLE CABLES

**Rate/100 Meters**




PRICE LIST NO : GCL/FLAT/AUG-2024

WITH EFFECT FROM :19/08/2024

“GLOSTER” Three Core Flat Cables With Bunched Copper Conductor, PVC Insulated, PVC Sheathed For Submersible Pump Motors For Voltage Grade Up To 1100 Volts Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
1.50	30/0.25	9205	2.50	50/0.25	14290	4.00	56/0.30	22125

“GLOSTER” Three Core Flat Cables With Bunched Copper Conductor, PVC Insulated, PVC Sheathed For Submersible Pump Motors For Voltage Grade Up To 1100 Volts Generally Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
6.00	84/0.30	32935	10.00	80/0.40	54650	16.00	126/0.40	84310
25.00	196/0.40	133135				35.00	276/0.40	182160

**Prices For Other Sizes, Not Covered In The List Price, Will Be Provided On Request.**

## Safety Is Not Expensive. it Is Priceless !!!!

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

Prices are exclusive of GST and other taxes.

**HSN CODE : 85446020**

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 500/1000 meters in wooden drums. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)