

**SURYA**



**Illuminate Your Vision**  
**Crafting Spaces with Light**

**Professional  
Lighting**

Effective 1st June, 2024



Our latest luminaires epitomize principles of energy conservation, environmental stewardship, and enhanced value for investment. With superior technology and unwavering dedication to excellence, **Surya illuminates the world, making it a brighter, happier place to call home.**

# about us

The Surya Luminaire Business Group (LBG) shines in the realm of Technical Lighting Solutions, renowned for its prowess in this field. At the heart of our operations lies the state-of-the-art Surya Technology & Innovation Centre, nestled in Noida. This hub of innovation boasts NABL accreditation and the stamp of approval from DSIR (Department of Scientific & Industrial Research), Govt. of India.

Within our ultramodern Kashipur & Gwalior plants, luminaires are conceived and crafted in-house, marking a swift ascent in the LED industry with our commitment to quality manufacturing.

LBG's portfolio of professional lighting solutions spans Indoor, Street, Industrial, Landscape, and Architectural Lighting fixtures. Our repertoire extends to customized LED lighting solutions tailored to diverse needs. Through strategic partnerships with intelligent system integrators, LBG not only proposes illumination designs but also executes intelligent lighting installations, complete with remote monitoring and dimming functionalities.





# index

Indoor Commercial	09
Retail Lighting	25
Industrial Lighting	29
Cleanroom Lighting	36
Street Lighting	39
Flood Lighting	45
Landscape Lighting	51
Solar Lighting	64
Flameproof Lighting	71
Facade Lighting	75
Highmast Lighting	80
Aviation Lighting	82



KEDARNATH

AHMEDABAD AIRPORT T1

# Illuminating

Footprints Behind...

ANUMATI CHUNAMANI BRIDGE

LEH PALACE



JAMMU BRIDGE



BHANDARI BRIDGE

BHARAT DARSHAN PARK



KEDARNATH



BHARAT DARSHAN PARK



# Surya Manufacturing Facilities



Kashipur Plant



Malanpur Plant



Bhuj Plant



Bahadurgarh Plant



R & D Centre



Hindupur Plant







# Indoor Commercial Lighting

## ATHENA / SLIM LED RECESSED DOWNLIGHTER - SQUARE

Recessed mounted square slim & elegant downlight panel made of aluminium PDC housing for indoor application with high aesthetic appeal for uniform light.

XX denotes for available CCT: C1, C2, C4, C5



PRODUCT CODE	WATTAGE	CASE LOT	MRP
ATHENA SLE DLR 3W XX SQ	3W	20	700
ATHENA SLE DLR 6W XX SQ	6W	20	900
ATHENA SLE DLR 12W XX SQ	12W	20	1300
ATHENA SLE DLR 15W XX SQ	15W	20	1400
ATHENA SLE DLR 18W XX SQ	18W	20	1800

## ATHENA / SLIM LED RECESSED DOWNLIGHTER - ROUND

Recessed mounted round slim & elegant downlight panel made of aluminium PDC housing for indoor application with high aesthetic appeal for uniform light.

XX denotes for available CCT: C1, C2, C4, C5



PRODUCT CODE	WATTAGE	CASE LOT	MRP
ATHENA SLE DLR 3W XX RD	3W	20	700
ATHENA SLE DLR 6W XX RD	6W	20	900
ATHENA SLE DLR 12W XX RD	12W	20	1300
ATHENA SLE DLR 15W XX RD	15W	20	1400
ATHENA SLE DLR 18W XX RD	18W	20	1800

## ATHENA / SLIM LED SURFACE DOWNLIGHTER - ROUND

Surface mounted round downlight panel made of aluminium PDC housing for indoor application with high aesthetic appeal for uniform light.

XX denotes for available CCT: C1, C2, C4, C5



PRODUCT CODE	WATTAGE	CASE LOT	MRP
ATHENA SLE DLS 3W XX RD	3W	20	900
ATHENA SLE DLS 6W XX RD	6W	20	1100
ATHENA SLE DLS 12W XX RD	12W	20	1600
ATHENA SLE DLS 15W XX RD	15W	20	1700
ATHENA SLE DLS 18W XX RD	18W	20	2100

**ATHENA / SLIM LED SURFACE DOWNLIGHTER - SQUARE**

Surface mounted square downlight panel made of aluminium PDC housing for indoor application with high aesthetic appeal for uniform light.

XX denotes for available CCT: C1, C2, C4, C5



PRODUCT CODE	WATTAGE	CASE LOT	MRP
ATHENA SLE DLS 3W XX SQ	3W	20	900
ATHENA SLE DLS 6W XX SQ	6W	20	1100
ATHENA SLE DLS 12W XX SQ	10W	20	1600
ATHENA SLE DLS 15W XX SQ	12W	20	1700
ATHENA SLE DLS 18W XX SQ	15W	20	2100

**RIVO / BACKLIT LED RECESSED DOWNLIGHTER - ROUND**

RIVO round recessed is a next generation LED downlighter made of aluminium PDC with high lumen package, for Indoor application. RIVO is highly efficient downlighter with low glare. Option with DALI available on request

XX denotes for available CCT: C1, C2, C4, C5



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DLR 6W RIVO RD XX	6W	20	1900
SLE DLR 9W RIVO RD XX	9W	20	1950
SLE DLR 12W RIVO RD XX	12W	20	2000
SLE DLR 15W RIVO RD XX	15W	20	2400
SLE DLR 18W RIVO RD XX	18W	10	2500
SLE DLR 24W RIVO RD XX	24W	10	2900

**RIVO / BACKLIT LED RECESSED DOWNLIGHTER - SQUARE**

RIVO square recessed is a next generation LED downlight made of aluminium PDC with high lumen package, for Indoor application. RIVO is highly efficient downlighter with low glare. Option with DALI available on request

XX denotes for available CCT: C1, C2, C4, C5




PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DLR 6W RIVO SQ XX	6W	20	1900
SLE DLR 9W RIVO SQ XX	9W	20	2000
SLE DLR 12W RIVO SQ XX	12W	20	2200
SLE DLR 15W RIVO SQ XX	15W	20	2500
SLE DLR 18W RIVO SQ XX	18W	10	2600
SLE DLR 24W RIVO SQ XX	24W	10	3100

## RIVO / BACKLIT LED SURFACE DOWNLIGHTER - ROUND

RIVO round surface is a next generation LED downlighter made of aluminium PDC with high lumen package, for Indoor application. RIVO is highly efficient downlighter with low glare. Option with DALI available on request

XX denotes - available CCT: C1, C2, C4, C5.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DLS 6W RIVO RD XX	6W	20	2600
SLE DLS 9W RIVO RD XX	9W	20	2700
SLE DLS 12W RIVO RD XX	12W	20	2800
SLE DLS 15W RIVO RD XX	15W	20	3300
SLE DLS 18W RIVO RD XX	18W	10	3400
SLE DLS 24W RIVO RD XX	24W	10	4000

## RIVO / LED SURFACE DOWNLIGHTER - SQUARE

RIVO square surface is a next generation LED downlighter made of Aluminium PDC with high lumen package, for Indoor application. RIVO is highly efficient downlighter with low glare. Option with DALI available on request

XX denotes - available CCT: C1, C2, C4, C5.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DLS 6W RIVO SQ XX	6W	20	2400
SLE DLS 9W RIVO SQ XX	9W	20	2500
SLE DLS 12W RIVO SQ XX	12W	20	2600
SLE DLS 15W RIVO SQ XX	15W	20	3100
SLE DLS 18W RIVO SQ XX	18W	10	3500
SLE DLS 24W RIVO SQ XX	24W	10	3800

## VISTA / LED SURFACE PC DOWNLIGHTER - ROUND

Energy efficient LED surface downlighter with PC Housing suitable for indoor application.

XX denotes - available CCT: C1, C2, C4, C5.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
VISTA SLE DLS 8W RD XX	8W	20	1100
VISTA SLE DLS 15W RD XX	15W	20	1700
VISTA SLE DLS 22W RD XX	22W	20	2300



## VISTA / LED RECESSED PC DOWNLIGHTER - ROUND

Energy efficient LED recessed downlight made with PC Housing suitable for indoor application.

XX denotes for available CCT : C1, C2 ,C4,C5.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
VISTA SLE DLR 8W RD XX	8W	20	1000
VISTA SLE DLR 15W RD XX	15W	20	1600
VISTA SLE DLR 22W RD XX	22W	10	2200



## ASTRUM / LED RECESSED PANEL

Recessed mounted LED Luminaire suitable for armstrong/grid ceiling, with its super bright LED, is a delight in modern office environment with a soft soothing light. Additional mounting frame required for gypsum/POP ceiling installation on additional cost.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DS 20 11R-ASTRUM XX	20W	2	3800
SLE DS 30 22R-ASTRUM XX	30W	2	6400
SLE DS 36 22R-ASTRUM XX	36W	2	6800

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

## ASTRUM / LED RECESSED PANEL - G7

Recessed mounted higher efficiency LED Luminaire suitable for armstrong/grid ceiling, with its super bright LED, is a delight in modern office environment with a soft soothing light. Additional mounting frame required for gypsum/POP ceiling installation on additional cost.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DS 24 22R-ASTRUM G7 XX	24W	2	8300
SLE DS 30 22R-ASTRUM G7 XX	30W	2	8400
SLE DS 36 22R-ASTRUM G7 XX	36W	2	8800

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

## ASTRUM / LED SURFACE PANEL

Surface mounted LED luminaire suitable for armstrong/grid ceiling, with its super bright LED is a delight in modern office environment with a soft soothing light.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DS 20 11S-ASTRUM XX	20W	2	4300
SLE DS 30 22S-ASTRUM XX	30W	2	7000
SLE DS 36 22S-ASTRUM XX	36W	2	7100
SLE DS 40 22S-ASTRUM XX	40W	2	7200

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

**ASTRUM / LED RECESSED PANEL - PIR & DIMMABLE**

Recessed mounted LED with occupancy sensors and dimmable tunable function with RF remote . This Luminaire suitable for armstrong/grid ceiling, with its super bright LED, is a delight in modern office environment with a soft soothing light. Additional mounting frame required for gypsum/POP ceiling installation on additional cost.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DS 36 22R-ASTRUM PIR XX	36W	2	10200
SLE DS 42 22R-ASTRUM PIR XX	42W	2	10400
SLE DS 36 22R-ASTRUM C68 DA6 RF	36W	2	16800

**ASTRUM / LED RECESSED PANEL - 4X1**

Recessed mounted LED Luminaire suitable for direct ceiling mounting, with its super bright LED, is a delight in modern office environment with a soft soothing light.




PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DS 40 41R-ASTRUM XX	40W	2	7900

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

**ASTRUM / LED SURFACE PANEL - 4X1**

Surface mounted LED Luminaire suitable for direct ceiling mounting, with its super bright LED, is a delight in modern office environment with a soft soothing light.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DS 40 41S-ASTRUM XX	40W	2	8500

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

**CELESTA EVO / LED RECESSED PANEL**

Celesta Evo is trendy, recessed luminaire for armstrong/grid ceiling, with super bright LED. Additional mounting frame required for gypsum/POP ceiling installation on additional cost.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE CD 36 22 R XX	36W	2	9400

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

## TROFFER / SLIM LED RECESSED PANEL 2X2

Energy efficient recessed mounted LED Luminaire suitable for armstrong/grid ceiling, Uniform light distribution best for modern work spaces.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
TROFFER SLE DS 30 22R XX	30W	2	4500
TROFFER SLE DS 36 22R XX	36W	2	4700

XX denotes - available CCT: C1, C2 C4, C5,, Tunable and Dimmable (DALI) available on request

## TROFFER / SLIM LED PANEL - SURFACE - 2X2

Energy efficient surface mounted LED Luminaire suitable for armstrong/grid ceiling, uniform light distribution best for modern work spaces



PRODUCT CODE	WATTAGE	CASE LOT	MRP
TROFFER SLE DS 30 22S XX	30W	2	5900
TROFFER SLE DS 36 22S XX	36W	2	6200

XX denotes - available CCT: C1, C2 C4, C5,, Tunable and Dimmable (DALI) available on request

## TROFFER / SLIM LED RECESSED PANEL - 4X1

Energy efficient recessed mounted LED luminaire suitable for armstrong/grid ceiling, uniform light distribution best for modern work spaces.




PRODUCT CODE	WATTAGE	CASE LOT	MRP
TROFFER SLE DS 30 41R XX	30W	2	8500
TROFFER SLE DS 36 41R XX	36W	2	8900

XX denotes - available CCT: C1, C2 C4, C5,, Tunable and Dimmable (DALI) available on request

TROFFER / SLIM LED SURFACE PANEL - 4X1

Energy efficient surface mounted LED luminaire suitable for armstrong/grid ceiling, Uniform light distribution best for modern work spaces.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
TROFFER SLE DS 30 4IS XX	30W	2	10500
TROFFER SLE DS 36 4IS XX	36W	2	10900

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

TROFFER / SLIM LED RECESSED PANEL - G3 2X2

Energy efficient high efficacy recessed mounted LED luminaire suitable for armstrong/grid ceiling, Uniform light distribution best for modern work spaces.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
TROFFER SLE DS 30 22R G3 XX	30W	2	5500
TROFFER SLE DS 36 22R G3 XX	36W	2	5900

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

TROFFER / SLIM LED SURFACE PANEL - G3

Energy efficient high efficacy surface mounted LED luminaire suitable for armstrong/grid ceiling, Uniform light distribution best for modern work spaces.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
TROFFER SLE DS 30 22S G3 XX	30W	2	6900
TROFFER SLE DS 36 22S G3 XX	36W	2	7300

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

## TECHZONE PLUTO/ LED LINEAR RECESSED

LED recessed Techzone panel with super bright LEDs, suitable for Techzone ceiling.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DS 20 TZ XX	20W	2	9100
SLE DS 28 TZ XX	28W	2	9700
SLE DS 36 TZ XX	36W	2	10400

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

## LINEAR LEO / LED RECESSED

Recessed mounted LED linear light, suitable for seamless linear lighting, housing colour available in black and silver on request.




PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BLSM 6638R 36 LL XX	36W	2	12300

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

## LINEAR / CORVUS LED SUSPENDED

Surface/ Suspended mounted LED linear light, suitable for seamless linear lighting. Continuous mounting solution available on request, housing colour available in black and silver on request.




PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BLSM 5473S 36 LL XX	36W	2	12900

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

## LINEAR / CORVUS-S LINEAR LED SUSPENDED

Surface/ Suspended mounted LED linear light, suitable for seamless linear lighting. Continuous mounting solution available on request, housing colour available in black and silver on request



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BLSM 5473S 36 LL S XX	36W	2	10500

XX denotes - available CCT: C1, C2 C4, C5,. Tunable and Dimmable (DALI) available on request

C1-3000K, C2-4000K, C4-5700K, C5-6500K





LINEAR / CORVUS H1 LINEAR LED SUSPENDED - UP & DOWN

Surface/Suspended Mounted LED linear luminaire with direct-indirect light emission. Aluminum Extruded with homogeneous light effect with variable light output for upward and downward housing colour available in black and silver on request.

XX denotes for available CCT C1, C2 C4, C5.  
Tunable and Dimmable (DALI) available on request.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BLSM 5473S 40 LL H1 XX	40W	2	15500

Y JOINT / LINEAR LED SUSPENDED

Suspended + joint



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BLSM 5473S Y JOINT 300 XX		2	POR

+ JOINT / LINEAR LED SUSPENDED

Suspended + joint



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BLSM 5473S + JOINT 300 XX		2	POR

L JOINT / LINEAR LED SUSPENDED

Suspended + Joint



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BLSM 5473S L JOINT 300 XX		2	POR



## AURORA - III / LED SUSPENDED - UP & DOWN

Decorative LED suspended linear light with Up & Down Light with soothing effect.

XX denotes for available CCT: C1, C2, C4, C5



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BLSM 36S AURORA - III XX	36W	1	25200

## SELENE / LINEAR LED SUSPENDED

Energy efficient, high efficacy suspended LED circular luminaire suitable for armstrong/grid ceiling, uniform light distribution best for modern work spaces.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BLSM 18S SELENE XX	18W	1	18100
SLE BLSM 36S SELENE XX	36W	1	25900
SLE BLSM 54S SELENE XX	54W	1	29100

XX denotes - available CCT: C1, C2 C4, C5. Tunable and Dimmable (DALI) available on request

## NEO T8 / ALUMINIUM LED TUBE

Environment friendly, energy saving, T8 LED tube, with aluminium extrusion heat sink for optimum performance, with high luminous efficacy and easy replacement of T8 36W lamp.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE TL DS 18 P AL EXT	18W	10	1100

## NEO T8 / PC LED TUBE

Environment friendly, energy saving, T8 LED tube in PC housing, high luminous efficacy and easy replacement of T8 36W lamp.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE TL DS 20 PC REFORM (NANO)	20W	10	800
SLE TL-DS 9 PC REFORM (NANO)	9W	10	700

## NEO T5 / ALUMINIUM LED TUBE WITH NON-INTEGRAL DRIVER

Environment friendly, energy saving, T5 LED tube in AL housing, high luminous efficacy and easy replacement of T5 28/14W lamp.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE TL DS 18P T5	18W	10	1600

## VISCO / ALUMINIUM LED BATTEN


A trendy wall/ceiling mounted slim LED Batten, with extruded aluminium housing & polycarbonate diffuser with integrated LED driver



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BT 10 IL	10W	10	700
SLE BT 20 -NEO MAX-N	20W	10	925
SLE BT 22-NEO MAX-N	22W	10	950
SLE BT 24 -NEO MAX -N	24W	10	1000

## MAPPLE / ALUMINIUM LED BATTEN

A trendy wall/ceiling mounted slim LED Batten, with extruded aluminium housing & polycarbonate diffuser with integrated LED driver



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BTN T8 20W	20W	10	2400
SLE BTN T8 30W	30W	10	2500
SLE BTN T8 40W	40W	10	2600

## ARROW / PC LED BATTEN

A new generation LED T5 Batten for multipurpose application made from polycarbonate housing & diffuser.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BT 18W ARROW SL	18W	10	800
SLE BT 22W ARROW SL	22W	10	900
SLE BT 10W ARROW	10W	10	700

## ARROW INV / PC LED BATTEN - INVERTOR

A new generation LED T5 Batten for multipurpose application made from polycarbonate housing & diffuser. This batten comes with battery backup options for emergency lighting purpose.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BT 18W ARROW INV	18W	10	1800








## **Retail Lighting**

## STELLAR PRIME / COB RECESSED DOWNLIGHT

Recessed mounted LED downlighter with COB technology.

Standard product comes with 36deg. beam angle, narrow beam, wider beam available on request

XX denotes - Available CCT: C1, C2, C4, C5



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DLR 3W STELLAR PRIME XX	3W	10	1400
SLE DLR 6W STELLAR PRIME XX	6W	10	1600
SLE DLR 9W STELLAR PRIME XX	9W	10	1900
SLE DLR 12W STELLAR PRIME XX	12W	6	2500
SLE DLR 15W STELLAR PRIME XX	15W	6	2800
SLE DLR 18W STELLAR PRIME XX	18W	6	3400
SLE DLR 24W STELLAR PRIME XX	24W	6	3800
SLE DLR 30W STELLAR PRIME XX	30W	6	4400

## IRIS / COB SWIVEL RECESSED DOWNLIGHT

Recessed Mounted titable and Swivel Adjustable LED downlighter with COB technology.

Standard product comes with 36deg. beam angle, narrow beam, wider beam available on request.

XX denotes - Available CCT: C1, C2, C4, C5



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DLR 20W IRIS XX	20W	4	5700
SLE DLR 30W IRIS XX	30W	4	6400
SLE DLR 40W IRIS XX	40W	4	6600

## SELLA / COB TRACKLIGHT

Surface mounted LED Tracklight with COB technology.

Order accessories as required separately. Standard product comes with 36deg. beam angle, narrow or wider beam available on request

XX denotes - Available CCT: C1, C2, C4, C5



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DLS 10W SELLA XX	10W	2	5700
SLE DLS 20W SELLA XX	20W	2	7500
SLE DLS 30W SELLA XX	30W	2	8200
SLE DLS 40W SELLA XX	40W	2	9400

## TRACK LIGHT ACCESSORIES

PRODUCT CODE	CASE LOT	MRP
SLE DLS Track 1m	1	2100
SLE DLS Live Endcap	1	1200
SLE DLS Dead End Cap	1	200
T2 I Jointer	1	1200
2 mtr Suspension wire Set ( 2 nos )	1	800

## DRUZZY GIMBALL / RECESSED MOUNTED WITH COB TECHNOLOGY

Recessed mounted spot light LED downlighter with COB technology. Standard product comes with 36deg. beam angle.

XX denotes - available CCT: C1, C2, C4, C5



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DLR 6W DRUZZY XX	2X3W	4	7200
SLE DLR 12W DRUZZY XX	2X6W	4	7800
SLE DLR 18W DRUZZY XX	2X9W	4	8800
SLE DLR 24W DRUZZY XX	2X12W	4	9400

## STELLA H / CYLINDRICAL SUSPENDED LIGHT

Surface and suspended cylindrical downlighting with extruded aluminium suitable for retail, offices, hotels. Standard beam angle 36°, Narrow or wider beam available on request.

XX denotes - Available CCT: C1, C2, C4, C5



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE SLR 10 STELLA H 80150 XX	10	1	8100
SLE SLR 15 STELLA H 80150 XX	15	1	8400

## ASTER / TRUNK LIGHT

Trunk light basically used for retail lighting application.

Its create soothing ambiance at applied areas

XX denotes - available CCT C1,C2 ,C4 C5



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DLS 20W ASTER XX	20W	1	POR
SLE DLS 30W ASTER XX	30W	1	POR







# Industrial Lighting

## OLIVE / WELL GLASS

LED Wellglass with aluminium PDC housing & polycarbonate cover, specially designed for industrial applications. Cradle mounting and LIL0 also available on request.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE WG 30W IP66 OLIVE	30W	4	3700
SLE WG 35W IP66 OLIVE	35W	4	3900
SLE WG 38W IP66 OLIVE	38W	4	4100
SLE WG 40W IP66 OLIVE	40W	4	4300
SLE WG 70W IP66 OLIVE	70W	1	7800
SLE WG 80W IP66 OLIVE	80W	1	9400

## OZEN II / LED MEDIUMBAY

LED Baylight OZEN II is high efficiency medium bay luminaire, suitable for industrial applications luminous efficacy upto  $\geq 100$  LPW IP66 protected



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE MB 60W -OZEN II	60W	1	12200
SLE MB 80W -OZEN II	80W	1	13600
SLE MB 100W -OZEN II	100W	1	14500
SLE MB 120W -OZEN II	120W	1	16900

## COMET PRO / LED HIGHBAY

New Generation Comet LED Highbay comes with high luminous efficacy upto  $\geq 100$  LPW IP66 protected, front IP Lens, with discrete high lumen LED.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE HB 80W COMET PRO	80W	1	12700
SLE HB 100W COMET PRO	100W	1	13600
SLE HB 120W COMET PRO	120W	1	17800
SLE HB 150W COMET PRO	150W	1	19100
SLE HB 180W COMET PRO	180W	1	22800
SLE HB 200W COMET PRO	200W	1	24000
SLE HB 250W COMET PRO	250W	1	30700



**ORION PRO / LED UFO HIGHBAY - 130LPW**

New Generation ORION PRO LED Highbay comes with high luminous efficacy upto  $\geq 130$  LPW, IP66 protected, front IP Lens, with discrete high lumen LED



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE RHB 80W ORION PRO	80W	1	14200
SLE RHB 100W ORION PRO	100W	1	16000
SLE RHB 120W ORION PRO	120W	1	20500
SLE RHB 150W ORION PRO	150W	1	23100
SLE RHB 180W ORION PRO	180W	1	27500
SLE RHB 200W ORION PRO	200W	1	28300
SLE RHB 250W ORION PRO	250W	1	36600

**SIRIUS PRO / LED UFO HIGHBAY - 150LPW**

New Generation SIRIUS PRO LED Highbay comes with high luminous efficacy upto  $\geq 150$  LPW, IP66 protected, front IP LENS, with discrete high lumen LED



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE RHB 80W SIRIUS PRO	80W	1	24300
SLE RHB 100W SIRIUS PRO	100W	1	25700
SLE RHB 120W SIRIUS PRO	120W	1	30400
SLE RHB 150W SIRIUS PRO	150W	1	31300
SLE RHB 180W SIRIUS PRO	180W	1	37000
SLE RHB 200W ORION PRO	200W	1	41200

**HILIOS / LED HIGHBAY**

New Generation HILIOS LED Highbay with high luminous efficacy upto  $\geq 110$  LPW, IP66 protected, front toughened glass, with discrete high lumen LED



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE HB 150W HILIOS	150W	1	24100
SLE HB 180W HILIOS	180 W	1	30500
SLE HB 200W HILIOS	200 W	1	31500

## NEPTUNE / LINEAR HIGHBAY - 130LPW

New Generation LINEAR LED Highbay comes with high luminous efficacy upto  $\geq 130$  LPW, IP66 protected, Polycarbonate front visor, with discrete high lumen LED



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE HB 100W LH	100W	4	22000
SLE HB 150W LH	150W	4	28500

## TURF I LED / WEATHER PROOF

IP65 protected, LED weather proof luminaire in 2feet & 4feet versions.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE WPL 18W	18W	8	7500
SLE WPL 36W	36W	4	7600

## TURF II LED / WEATHER PROOF LUMINAIRE - NON INTEGRAL

Weatherproof Luminaire suitable for use with single sided LED Tubes. LED Tubes to be ordered separately. Below pricing is excluding LED TUBE .



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE DJPC 118 LED	1 x 18W	8	3500
SLE DJPC 218 LED	2 x 18W	4	4300

## LED BATTEN

Batten pre wired suitable to use with LED Tube. LED tube, to be ordered separately. above mentioned price is without LED tube



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SUB 118 T8 LED	1 x 18W	16	700
SUB 218 T8 LED	2 x 18W	16	800

**CORVI PLUS / LED BULKHEAD - ALUMINIUM**

New generation energy saving LED Bulkhead PLUS made up of aluminium housing with diffuser.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BLH 10W PLUS	10W	4	2100

**CORVI PLUS / LED BULKHEAD - PC**

New generation energy saving LED Bulkhead Neo made up of Poly carbonate housing with diffuser.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BH 10W	10W	4	1900

INDUSTRIAL LIGHTING



LIGHMET / LED BATTEN - MS

A revolutionary LED batten made from CRCA sheet steel powder coated housing & highly efficient LEDs for varied application



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BT 20 MS	20W	4	7500
SLE BT 40 MS	40W	4	7800

LIGHMET / LED BATTEN - MS SENSOR

A revolutionary LED batten made from CRCA sheet steel powder coated housing & highly efficient LEDs for varied application. This batten comes with PIR sensor.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BT 20 MS SEN	20W	4	7500
SLE BT 40 MS SEN	40W	4	7800







## Cleanroom Lighting

LED CLEANROOM / BOTTOM OPENING

LED bottom opening recessed clean room luminaire is specially designed for healthcare industries. Front frame option with SS available on request



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE CLR B0 36 22	36W	2	16600
SLE CLR B0 45 22	45W	2	17700
SLE CLR B0 60 22	60W	2	19200
SLE CLR B0 80 22	80W	2	19900

LED CLEANROOM / TOP OPENING

LED top opening recessed clean room luminaire is specially designed for healthcare industries. Front frame option with SS available on request



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE CLR TO 36 22	36W	2	POR
SLE CLR TO 45 22	45W	2	POR
SLE CLR TO 60 22	60W	2	POR
SLE CLR TO 80 22	80W	2	POR







# Street Lighting

**LEXON / STREETLIGHT**

LED street light with system output of 120 lm/w in Aluminium PDC housing, toughened glass cover with IP66 protection.

Secondary lenses for individual LED for roadways application.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE UL 20W IP66 LXN G1	20W	10	3000
SLE UL 25W IP66 LXN G1	25W	10	3300
SLE UL 30W IP66 LXN G1	30W	10	4500
SLE UL 36W IP66 LXN G1	36W	10	10000
SLE UL 45W IP66 LXN G1	45W	10	12000

\* On Request Lumen Package -Upto 130lm/w

**LEXON / STREETLIGHT**

LED street light with system output of 120 lm/w in Aluminium PDC housing, toughened glass cover with IP66 protection.

Secondary lenses for individual LED for roadways application.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE UL 60W IP66 LXN G1	60W	4	14000
SLE UL 72W IP66 LXN G1	72W	4	16000
SLE UL 90W IP66 LXN G1	90W	1	19500
SLE UL 100W IP66 LXN G1	100W	1	23000
SLE UL 110W IP66 LXN G1	110W	1	24000
SLE UL 120W IP66 LXN G1	120W	1	25500

\* On Request Lumen Package -Upto 130lm/w

**POLLUX / STREETLIGHT**

LED street light with system output of 120 lm/w in Aluminium PDC housing, toughened glass cover with IP66 protection.

Secondary lenses for individual LED for roadways application.

Top Opening separate driver compartment with IP 66 Protection



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE UL 150W IP66 PLX G1	150W	1	27500
SLE UL 165W IP66 PLX G1	165W	1	30000
SLE UL 180W IP66 PLX G1	180W	1	34000

\* On Request Lumen Package -Upto 140lm/w

## POLLUX / STREETLIGHT

LED street light with system output of 120 lm/w in Aluminium PDC housing, toughened glass cover with IP66 protection.

Secondary lenses for individual LED for roadways application.

Top Opening separate driver compartment with IP 66 Protection



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE UL 200W IP66 PLX G1	200W	1	38000
SLE UL 220W IP66 PLX G1	220W	1	42000
SLE UL 250W IP66 PLX G1	250W	1	45000

\* On Request Lumen Package -Upto 140lm/w

## NEWGEN / STREETLIGHT

New generation energy saving long life LED street light with system output of 110 Lm/W made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having.

Top Opening separate driver compartment with IP66 protection.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE UL 20W IP66 NGN	20W	10	3000
SLE UL 25W IP66 NGN	25W	10	3300
SLE UL 30W IP66 NGN	30W	10	4000
SLE UL 36W IP66 NGN	36W	10	4800
SLE UL 45W IP66 NGN	45W	10	7000

\* On Request Lumen Package -Upto 125lm/w

## NEWGEN / STREETLIGHT

New generation energy saving long life LED street light with system output of 110 Lm/W made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having.

Top Opening separate driver compartment with IP66 protection.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE UL 60W IP66 NGN	60W	1	9000
SLE UL 70W IP66 NGN	70W	1	10000
SLE UL 72W IP66 NGN	72W	1	10500
SLE UL 80W IP66 NGN	80W	1	13000

\* On Request Lumen Package -Upto 125lm/w



## ALPHA PLUS NEO / STREETLIGHT

New generation energy saving long life LED street light with system output of 110 Lm/W made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having top Opening separate driver compartment with IP66 protection.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE UL 90W IP66 ALPHA PLUS NEO	90W	1	16000
SLE UL 120W IP66 ALPHA PLUS NEO	120W	1	20000
SLE UL 150W IP66 ALPHA PLUS NEO	150W	1	25000

On request: Lumen Package - upto 130lm/w, Connectivity - NEMA, Dimming 1-10V

## ALPHA PLUS NEO / STREETLIGHT

New generation energy saving long life LED street light with system output of 130lm/W made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having Top Opening separate driver compartment with IP66 protection.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE UL 180W IP66 ALPHA PLUS NEO G3	180W	1	37500
SLE UL 200W IP66 ALPHA PLUS NEO G3	200W	1	40500
SLE UL 220W IP66 ALPHA PLUS NEO G3	220W	1	42500
SLE UL 250W IP66 ALPHA PLUS NEO G3	250W	1	48000

On request: Lumen Package - upto 140lm/w, Connectivity - NEMA, Dimming 1-10V

## ALPHA NEO / STREETLIGHT

New generation energy saving long life LED street light with system output of 130 Lm/W made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having Top Opening separate driver compartment with IP66 protection.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE UL 180W IP66 ALPHA NEO G3	180W	1	38000
SLE UL 200W IP66 ALPHA NEO G3	200W	1	41000
SLE UL 220W IP66 ALPHA NEO G3	220W	1	43000
SLE UL 250W IP66 ALPHA NEO G3	250W	1	48750

On Request Lumen Package upto 150lm/w,Connectivity -NEMA ,Dimming 1-10V

## ALPHA / STREETLIGHT

New generation energy saving long life LED street light with system output of 130lm/W made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having Top Opening separate driver compartment with IP66 protection.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE UL 300W IP66 IP66 ALPHA G3	300W	1	55000
SLE UL 350W IP66 IP66 ALPHA G3	350W	1	60000
SLE UL 380W IP66 IP66 ALPHA G3	380W	1	75000

On Request Lumen Package upto 150lm/w,Connectivity -NEMA ,Dimming 1-10V









# Flood Lighting

## LMS NEO-N / LED FLOODLIGHT

LMS Neo-N Floodlight is a compact LED floodlight with system luminous efficacy of 110lm/w, protected to IP66, with front toughened glass, with discrete high lumen LED



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE FL 30W IP66 LMS NEO-N	30W	1	5900
SLE FL 50W IP66 LMS NEO-N	50W	1	8500
SLE FL 70W IP66 LMS NEO-N	70W	1	13500
SLE FL 80W IP66 LMS NEO-N	80W	1	13900
SLE FL 100W IP66 LMS NEO-N	100W	1	14600
SLE FL 120W IP66 LMS NEO-N	120W	1	15400
SLE FL 150W IP66 LMS NEO-N	150W	1	19000
SLE FL 180W IP66 LMS NEO-N	180W	1	21000
SLE FL 200W IP66 LMS NEO-N	200W	1	25000
SLE FL 250W IP66 LMS NEO-N	250W	1	32000

## LIVIA / LED FLOODLIGHT


LIVIA is a Compact LED Floodlight with system luminous efficacy of 110lm/w, protected to IP66, with front toughened glass. 120/130 LPW also available on request



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE FL 150W IP66 LIVIA	150W	1	19200
SLE FL 180W IP66 LIVIA	180W	1	22900
SLE FL 200W IP66 LIVIA	200W	1	25600
SLE FL 250W IP66 LIVIA	250W	1	34400
SLE FL 300W IP66 LIVIA	300W	1	39200
SLE FL 350W IP66 LIVIA	350W	1	43900
SLE FL 400W IP66 LIVIA	400W	1	46300

RADIANCE / LED FLOODLIGHT

RADIANCE is a Compact LED Floodlight with system luminous efficacy of 120lm/w, protected to IP66, with front toughened glass. 130 LPW also available on request



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE FL 80W IP66 RADIANCE	80W	1	14000
SLE FL 100W IP66 RADIANCE	100W	1	15000
SLE FL 120W IP66 RADIANCE	120W	1	17000
SLE FL 150W IP66 RADIANCE	150W	1	19200
SLE FL 180W IP66 RADIANCE	180W	1	22900
SLE FL 200W IP66 RADIANCE	200W	1	25600
SLE FL 250W IP66 RADIANCE	250W	1	34400
SLE FL 300W IP66 RADIANCE	300W	1	39200
SLE FL 350W IP66 RADIANCE	350W	1	43900
SLE FL 400W IP66 RADIANCE	400W	1	46300



ZENCELO / LED FLOODLIGHT

ZENCELO Floodlight is a Compact LED Floodlight with system luminous efficacy of 110lm/w, protected to IP66, with front toughened glass,with discrete high lumen LED.120/130 LPW also available on request

PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE FL 450W IP66 ZENCELO	450W	1	58200
SLE FL 500W IP66 ZENCELO	500W	1	61000
SLE FL 600W IP66 ZENCELO	600W	1	71100

## HILIOS / LED FLOODLIGHT

HILIOS Floodlight is a Compact LED Floodlight with system luminous efficacy of 110lm/w, protected to IP66, with front toughened glass, with discrete LED, high lumen 120LPW also available on request



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE FL 80W IP66 HILIOS	80W	1	12600
SLE FL 100W IP66 HILIOS	100W	1	14200
SLE FL 120W IP66 HILIOS	120W	1	15900
SLE FL 150W IP66 HILIOS	150W	1	20400
SLE FL 180W IP66 HILIOS	180W	1	24000
SLE FL 200W IP66 HILIOS	200W	1	26000
SLE FL 250W IP66 HILIOS	250W	1	35600
SLE FL 300W IP66 HILIOS	300W	1	40100
SLE FL 350W IP66 HILIOS	350W	1	45300

## HILIOS PRO / LED FLOODLIGHT

HILIOS PRO Floodlight is a Compact LED Floodlight with system luminous efficacy of 130lm/w, protected to IP66, with front IP LENS, discrete LED, high lumen Customised LPW 140/145LPW available



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE FL 150W IP66 HILIOS PRO	150W	1	23300
SLE FL 180W IP66 HILIOS PRO	180W	1	28500
SLE FL 200W IP66 HILIOS PRO	200W	1	29800

LIVIA PRO / LED FLOODLIGHT

LIVIA PRO is a Compact LED Floodlight with system luminous efficacy of 120lm/w as a standard, protected to IP66 and comes with IP LENS.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE FL 150W IP66 LIVIA PRO	150W	1	18600
SLE FL 180W IP66 LIVIA PRO	180W	1	20700
SLE FL 200W IP66 LIVIA PRO	200W	1	22500
SLE FL 250W IP66 LIVIA PRO	250W	1	30800
SLE FL 300W IP66 LIVIA PRO	300W	1	34200
SLE FL 350W IP66 LIVIA PRO	350W	1	39200
SLE FL 400W IP66 LIVIA PRO	400W	1	42700

BEAMER FLOOD LIGHT - 135LPW

BEAMAR is a LED sport Floodlight with system luminous efficacy of 135lm/w as a standard, protected to IP66 and comes with IP LENS. This floodlight has a different LENS options specially for sport light application



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE FL 800W IP66 BEAMER G4	800W	1	POR
SLE FL 1000W IP66 BEAMER G4	1000W	1	POR
SLE FL 1200W IP66 BEAMER G4	1200W	1	POR
SLE FL 1500W IP66 BEAMER G4	1500W	1	POR

MAGNA PLUS FLOOD LIGHT - 135LPW

MAGNA PLUS is a LED sport Floodlight with system luminous efficacy of 135lm/w as a standard, protected to IP66 and comes with IP LENS. This floodlight has a different LENS options specially for sport light application



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE FL 1000W IP66 MAGNA PLUS G4	1000W	1	POR
SLE FL 1200W IP66 MAGNA PLUS G4	1200W	1	POR

TUNNEL LIGHT / LED FLOODLIGHT

This TUNNEL Light comes with system luminous efficacy of 120lm/w, protected to IP66.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE TL 20 EX G1	20W	1	POR
SLE TL 40 EX G1	40W	1	POR

VIADUCT TUNNEL LIGHT

The Tunnel light comes with system luminous efficacy of 120lm/w, protected to IP66.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE FL VD 20W IP66 G1 DA5 I10	20W	1	POR
SLE FL VD 40W IP66 G1 DA5 I10	40W	1	POR



# Landscape Lighting



E-TOPP / LED POST TOP

LED post top lantern with low glare optical design acrylic diffuser.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
ETPP SLE PT 30W	30W	1	9000
ETPP SLE PT 36W	36W	1	9500
ETPP SLE PT 40W	40W	1	10000

E-TOPP / LED POST TOP

LED post top lantern with low glare optical design acrylic diffuser.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
ETPP SLE PT 50W	50W	1	15000
ETPP SLE PT 60W	60W	1	18000
ETPP SLE PT 70W	70W	1	20000

VEGA / LED POST TOP

Decorative LED post top made up of spun aluminium canopy with die-cast aluminium heat sink.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
VEGA SLE PT 45W	45W	1	50000
VEGA SLE PT 45W TM	45W	1	45000
VEGA SLE PT 60W	60W	1	47000
VEGA SLE PT 60W TM	60W	1	52000
VEGA SLE PT 90W	90W	1	48000
VEGA SLE PT 90W TM	90W	1	55000
VEGA SLE PT 120W	120W	1	49000
VEGA SLE PT 120W TM	120W	1	60000

VEGA CROWN / LED POST TOP

Decorative LED post top lantern range made up of spun aluminium canopy with die-cast aluminium spigot. Fitted with glare free optically designed diffuser and high efficiency LEDs.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
VEGA SLE PT 45W CROWN	45W	1	55000
VEGA SLE PT 45W CROWN TM	45W	1	50000
VEGA SLE PT 60W CROWN	60W	1	57000
VEGA SLE PT 60W CROWN TM	60W	1	52000
VEGA SLE PT 90W CROWN	90W	1	60000
VEGA SLE PT 90W CROWN TM	90W	1	53000
VEGA SLE PT 120W CROWN	120W	1	65000
VEGA SLE PT 120W CROWN TM	120W	1	55000

HARY / LED POST TOP

LED Heritage post top Lantern made up of die-cast aluminium housing with glare free optically designed PC diffuser.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
HARY SLE PT 30W	30W	1	35000
HARY SLE PT 40W	40W	1	40000

RIGEL / LED POST TOP

LED post top Lantern made up of die-cast aluminium housing with glare free optically designed PC diffuser.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
RIGEL SLE PT 30W	30W	1	30000
RIGEL SLE PT 40W	40W	1	35000
RIGEL SLE PT 50W	50W	1	38000
RIGEL SLE PT 60W	60W	1	50000

**HAMPSHIRE / LED POST TOP**

LED post top Lantern housing made up of die-cast aluminium with cover in low glare PC diffuser.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
HAMPSHIRE SLE PT 40W	40W	1	42000
HAMPSHIRE SLE PT 60W	60W	1	46000
HAMPSHIRE SLE PT 90W	90W	1	52000

**EMPIRE / LED POST TOP**

LED post top Lantern housing made up of die-cast aluminium with glass cover.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
EMPIRE SLE PT 35W	35W	1	38000
EMPIRE SLE PT 70W	70W	1	51000

**GLOBE / LED POST TOP**

Energy efficient LED Post-top IP65 elegantly for retrofillt and refurbishment



PRODUCT CODE	WATTAGE	CASE LOT	MRP
GLOBE SLE PT 10W	10W	1	12000

**GLAZE NX / LED BOLLARD**

LED Bollard fitted with low glare diffuser



PRODUCT CODE	WATTAGE	CASE LOT	MRP
GLZ SLE BL 10W 800 NX	10W	1	8500
GLZ SLE BL 10W 800 NX	10W	1	9000
GLZ SLE BL 10W 1000 NX	10W	1	9500

GLAZE E / LED BOLLARD

LED Bollard fitted with low glare diffuser



PRODUCT CODE	WATTAGE	CASE LOT	MRP
GLZ SLE BL 10W 600 NX E	10W	1	8000
GLZ SLE BL 10W 800 NX E	10W	1	8500
GLZ SLE BL 10W 1000 NX E	10W	1	9000

FLARE NX / LED BOLLARD

LED Bollard fitted with low glare diffuser



PRODUCT CODE	WATTAGE	CASE LOT	MRP
FLR SLE BL 10W 600	10W	1	8500
FLR SLE BL 10W 800	10W	1	9000
FLR SLE BL 10W 1000	10W	1	9500

BLINK / LED BOLLARD

LED Bollard fitted with low glare diffuser



PRODUCT CODE	WATTAGE	CASE LOT	MRP
BLK SLE BL 10W 600	10W	1	11000
BLK SLE BL 10W 800	10W	1	12000
BLK SLE BL 10W 1000	10W	1	13000

**LYRA / LED BOLLARD**

LED Bollard fitted with low glare diffuser



PRODUCT CODE	WATTAGE	CASE LOT	MRP
LYR SLE BL 10W 600	10W	1	7000
LYR SLE BL 10W 800	10W	1	9000
LYR SLE BL 10W 1000	10W	1	12000

**OXFORD / LED BOLLARD**

LED Bollard fitted with low glare diffuser



PRODUCT CODE	WATTAGE	CASE LOT	MRP
OXF SLE BL 18W IP65 1000	18W	1	27000

**COLUMN / LED BOLLARD**

Lighting Columns are made of Galvanised Steel tubes and Poly Carbonate extruded profiles tri color option is available on request

PRODUCT CODE	WATTAGE	CASE LOT	MRP
COLUMN SLE BL 40W 3M	40W	1	30000
COLUMN SLE BL 60W 3M	60W	1	35000



**MALLOW / LED SPIKE**

LED bush light in PDC aluminium housing with high quantity toughened glass.



PRODUCT CODE	WATTAGE	CASE LOT	MRP
MALLOW SLE SPL 3W	3	4	4600
MALLOW SLE SPL 6W	6	4	4900
MALLOW SLE SPL 12W	12	4	5200

**MICRO / LED STEP LIGHT**

LED Step Light in powder coated die-cast aluminium housing in IP65 Protection



PRODUCT CODE	WATTAGE	CASE LOT	MRP
STL SLE 5W	5W	1	5200
STL SLE 10W	10W	1	5900

**HEXA-S / UP-DOWN LED LIGHT SQUARE**

LED Column Up-Down Light in die-cast aluminium housing with toughened glass cover



PRODUCT CODE	WATTAGE	CASE LOT	MRP
HEXA SLE WL 10W UP-DOWN-S	10W	4	9700
HEXA SLE WL 15W UP-DOWN-S	15W	4	11000





**HEXA-R / UP-DOWN LED LIGHT CYLINDRICAL**

LED Cylindrical Up-Down light in die-cast aluminium housing with toughened glass cover



PRODUCT CODE	WATTAGE	CASE LOT	MRP
HEXA SLE WL 10W UP-DOWN-R	10W	4	9800
HEXA SLE WL 15W UP-DOWN-R	15W	4	12000

**ORBIT F / LED BULKHEAD**

LED circular bulkhead with IP 65 , die-cast aluminium housing with PMMA cover



PRODUCT CODE	WATTAGE	CASE LOT	MRP
ORBIT SLE BLH 10W F	10W	4	5200
ORBIT SLE BLH 15W F	15W	4	5900



ORBIT H / LED BULKHEAD

LED half circular bulkhead with IP 65 , die-cast aluminium housing with PMMA cover



PRODUCT CODE	WATTAGE	CASE LOT	MRP
ORBIT SLE BLH 10W H	10W	4	5500
ORBIT SLE BLH 15 W H	15W	4	6200

TERRA GROUND BURIAL

Ground burial for driveway and in ground application



PRODUCT CODE	WATTAGE	CASE LOT	MRP
TERRA SLE GBL 10W	10W	4	9100
TERRA SLE GBL 15W	15W	4	11000

ZYLO / HERITAGE ORNAMENTAL POLES

Pole series with Antique Garden Lamp post.

PRODUCT CODE	CASE LOT	MRP
SDP 3M ZYLO	1	POR
SDP 4M ZYLO	1	POR
SDP 5M ZYLO	1	POR
SDP 6M ZYLO	1	POR



LUMINI / HERITAGE ORNAMENTAL POLES

A vintage-inspired LED luminaire, combining pendant charm with top-pole mounting.

PRODUCT CODE	CASE LOT	MRP
SDP 3M LUMINI	1	POR
SDP 4M LUMINI	1	POR
SDP 5M LUMINI	1	POR



HALO / PARKING AREA POLES

Urban pole with post-top LED fixture with a circular design, illuminates beautifully and promotes a sense of comfort in city.

PRODUCT CODE	CASE LOT	MRP
SDP 3M HALO	1	POR
SDP 4M HALO	1	POR
SDP 5M HALO	1	POR



OCULAR / PARKING AREA POLES

Urban pole with post-top LED fixture with a circular design, illuminates beautifully and promotes a sense of comfort in city.

PRODUCT CODE	CASE LOT	MRP
SDP 3M OCULAR	1	POR
SDP 4M OCULAR	1	POR
SDP 5M OCULAR	1	POR



ORBITAL / URBAN POLES

Aligned with the urban landscape, the modern pole with post-top lantern elegantly marries functionality and ornamentation.

PRODUCT CODE	CASE LOT	MRP
SDP 3M ORBITAL	1	POR
SDP 4M ORBITAL	1	POR
SDP 5M ORBITAL	1	POR



CIRCLET / URBAN POLES

Aligned with urban landscape suitable for spherical diffuser light fixture


PRODUCT CODE	CASE LOT	MRP
SDP 3M CIRCLET	1	POR
SDP 4M CIRCLET	1	POR
SDP 5M CIRCLET	1	POR



ARC / URBAN POLES

Single arm decorative pole

PRODUCT CODE	CASE LOT	MRP
SDP 3M ARC	1	POR
SDP 4M ARC	1	POR
SDP 5M ARC	1	POR
SDP 6M ARC	1	POR







# Solar Lighting

## SOLAR ALL IN ONE SYSTEM

MoQ 10 nos. System includes LED luminaire, lithium ferrous phopshate battery, Mono crystalline panel.

Time based dimming profile : 1H 25%, 2H 50% 3H 100% 4H 50% 5H onwards 25% till switchoff. 1 night backup in full charged battery.

Option of PIR, Hybrid charger, Bluetooth available on request.

Pole excluded. Kindly check pole OD before installation .

Warranty is 2 years , 5 years warranty will be at extra cost.

Any customization will be at extra cost. Efficacy of 170 LPW is available on request



PRODUCT CODE	CONFIGURATION	MRP
SSLE SISH 12W HT3 35WP 12AH LFP W2	12W@150LPW,35Wp, 12AH, NO PIR	36,000.00
SSLE SISH 12W T3 35WP 12AH LFP W2	12W@125LPW , 35Wp, 12AH, NO PIR	33,000.00
SSLE SISH 15W T3 40WP 18AH LFP W2	15W@125 LPW ,40Wp,18AH , NO PIR	44,000.00
SSLE SISH 20W T3 50WP 18AH LFP W2	20W @ 125 LPW,50Wp, 18AH, no PIR	57,000.00
SSLE SISH 25W T3 50WP 24AH LFP W2	25W @ 125 LPW,50Wp, 24AH, no PIR	64,000.00
SSLE SISH 30W D2 75WP 30AH LFP W2	30W @ 125LPW,75Wp,30AH , PIR	79,000.00
SSLE SISH 30W T3 60WP 24AH LFP W2	30W @ 125 LPW, 60Wp, 24AH , No PIR	66,000.00
SSLE SISH 40W HD2 100WP 36AH LFP W2	40Wp @ 150LPW,100Wp,36AH, PIR	105,000.00
SSLE SISH 40W D2 100WP 36AH LFP W2	40Wp @ 125LPW,100Wp,36AH, PIR	1,02,000.00
SSLE SISH 40W T3 75WP 30AH LFP W2	40Wp@125 LPW, 75WP, 30AH , NO PIR	77,000.00
SSLE SISH 60W T3 100WP 42AH LFP W2	60W@125 LPW, 100WP, 42AH , NO PIR	1,10,000.00
SSLE SISH 70W T3 100WP 48AH LFP W2	70W @ 125 LPW, 100Wp, 48AH , NO PIR	1,21,000.00
SSLE SISH 120W T1 150WP 78AH LFP HYB W2	120W @ 150 LPW,125Wp, 78AH , NO PIR, HYB	1,80,000.00

## SOLAR ALL IN ONE SYSTEM

MoQ 10 nos. System includes LED luminaire, lithium ferrous phopshate battery, Mono crystalline panel

Time based dimming profile : 1H 25%, 2H 50% 3H 100% 4H 50% 5H onwards 25% till switchoff.

1 night backup in full charged battery. Option of PIR, Hybrid charger, Bluetooth available on request.

Pole excluded. Kindly check pole OD before installation.

Warranty is 2 years, 5 years warranty will be at extra cost. Any customization will be at extra cost.



PRODUCT CODE	CONFIGURATION	MRP
SSLE AIO 25W D2 60WP 30AH LFP W2	25W @ 125 LPW,60Wp,30 AH, PIR	78,000.00
SSLE AIO 25W HT3 50WP 24AH LFP W2	25W @ 125 LPW,50Wp, 24AH, no PIR	69,000.00
SSLE AIO 30W D2 75WP 30AH LFP W2	30W @ 125LPW,75Wp,30AH , PIR	85,000.00
SSLE AIO 30W T3 60WP 24AH LFP W2	30W @ 125 LPW, 60Wp, 24AH , No PIR	72,000.00

## SOLAR SEMI INTEGRATED SYSTEM

MoQ: 20 nos. Price is Ex works Delhi. Transportation extra as applicable. Dim to 50% after 4 hrs.

Other Dimming options customizable at extra cost. System includes LED luminaire, lithium ferrous phopshate battery or lead acid battery, poly crystalline panel, luminaire arm, module mounting structure, 6m Tubular pole

Bluetooth, Hybrid or any Customization available on request at extra cost.

Warranty is 2 years, 5 years warranty will be at extra cost



PRODUCT CODE	CONFIGURATION	MRP
SSLE T10 7W D LFP WP SOLAR	7	49,500.00
SSLE T10 12W D LFP WP SOLAR	12	55,000.00
SSLE T10 15W D LFP WP SOLAR	15	60,500.00
SSLE T10 20W D LFP WP SOLAR	20	71,500.00
SSLE T10 25W D LFP WP SOLAR	25	82,500.00
SSLE T10 30W D LFP WP SOLAR	30	99,000.00
SSLE T10 35W D LFP WP SOLAR	35	1,21,000.00

## SOLAR STAND ALONE SYSTEM

MoQ: 20 nos. Price is Ex works Delhi. Transportation extra as applicable. Dim to 50% after 4 hrs.

Other Dimming options customizable at extra cost. System includes LED luminaire, lithium ferrous phopshate battery or lead acid battery, poly crystalline panel, luminaire arm, module mounting structure pole

Bluetooth, Hybrid or any Customization available on request at extra cost.

Efficacy upto 170 LPW available on request.

Warranty is 2 years, 5 years warranty will be at extra cost



PRODUCT CODE	CONFIGURATION	MRP
SSLE SAS 20W SOLAR	20W, 75Wp Poly, 75AH Lead Acid battery, 6m Tubular pole complete	66,000.00
SSLE SAS 30W SOLAR	30W, 120Wp Poly, 100AH Lead acid battery, 6m Tubular Pole, complete	1,20,000.00
SSLE SAS 45W SOLAR	45W, 200Wp Poly, 200AH Lead Acid Flooded, 6m Oct Pole	2,00,000.00
SSLE SAS 100W SOLAR	100W, 2x250Wp Poly, 2X150AH T Gel, 10m Oct Pole	3,00,000.00
SSLE SAS 180W SOLAR	180W, 2x445Wp Mono, 12.8V 320AH LFP, 10m Oct Pole	7,00,000.00

SOLAR FLOOD LIGHT SYSTEM

MoQ: 20 nos. Price is Ex works Delhi. Transportation extra as applicable.

System includes LED luminaire, Lithium Ferrous Phospahte battery, polycrystalline panel, module mounting structure, battery box [20W and 30W is integrated battery box, others non integrated], 4m Panel cable.

Remote controller, Bluetooth or any customization at extra cost.

Warranty is 2 years, 5 years warranty will be at extra cost.

Efficacy upto 170 LPW available on request.



PRODUCT CODE	CONFIGURATION	MRP
SSLE FLS 20W SOLAR	20W	59,400.00
SSLE FLS 30W SOLAR	30W	71,500.00
SSLE FLS 40W SOLAR	40W	99,000.00
SSLE FLS 50W SOLAR	50W	1,21,000.00

SOLAR DECORATIVE POST TOP SYSTEM

MoQ: 20 nos. Price is Ex works Delhi. Transportation extra as applicable.

System includes LED luminaire, Lithium Ferrous Phosphate Battery, Monocrystalline panel, Charge controller.

Hybrid Option available at extra cost.

Warranty is 2 years , 5 years warranty will be at extra cost



PRODUCT CODE	WATTAGE (W)	MRP
SSLE DPH 12W T2 W2 NP	12	75,000.00
SSLE DPH 16W T2 W2 NP	16	85,000.00
SSLE DPH 20W T2 W2 NP	20	1,15,000.00

SOLAR DECORATIVE POST TOP PANEL ON POLE SYSTEM

MoQ: 20 nos. Price is Ex works Delhi. Transportation extra as applicable.

System includes LED luminaire, Lithium Ferrous Phosphate Battery, Monocrystalline panel, Charge controller, Pole frame. Pole is 4m for 2500 Lumen and 6m for 6000 lumen system.

Customization possible at extra cost.

Warranty is 2 years, 5 years warranty will be at extra cost



PRODUCT CODE	WATTAGE (W)	MRP
URBAN SPOT CIRCULAR 2500 LUMEN SOLAR	2500	3,30,000.00
URBAN SPOT CIRCULAR 6000 LUMEN SOLAR	6000	5,40,000.00
URBAN SPOT STREET 2500 LUMEN SOLAR	2500	3,20,000.00
URBAN SPOT STREET 6000 LUMEN SOLAR	6000	5,25,000.00

SOLAR HIGH MAST SYSTEM


MoQ: 10 sets. Price is Ex works Delhi. Transportation extra as applicable.

System includes 4 sets of LED luminaire, Lithium Ferrous Phosphate Battery with Battery box, Crystalline panel, Charge controller, 10M High mast Pole with movable Lantern carriage.

Manual winch. Hybrid and Bluetooth option available at extra cost.

Any customization will be charged extra. Warranty is 2 years, 5 years warranty will be at extra cost

Efficacy upto 170 LPW available on request.



PRODUCT CODE	CONFIGURATION	MRP
SSLE HM 4 40W 125WP 54AH LFP 10P SOLAR	4x(40W , 150Wp,60Ah LFP) Dimming	8,00,000.00
SSLE HM 4 80W 200WP 100AH LFP 10P SOLAR	4x(80W , 200Wp,100Ah LFP) Dimming	12,00,000.00
SSLE HM 4 100W 450WP 120AH LFP 10P SOLAR	4x(100W , 450Wp, 120Ah LFP) Dimming	16,00,000.00

SOLAR MINI MAST SYSTEM

MoQ: 20 sets. Price is Ex works Delhi. Transportation extra as applicable.

System includes SEMI INTEGRATED LED luminaire, Lithium Ferrous Phosphate battery in light fixture housing, polycrystalline panel, module mounting structure, Excluded Octagonal Pole 6m/7m.

Warranty is 2 years , 5 years warranty will be at extra cost.



PRODUCT CODE	CONFIGURATION	MRP
SSLE T10 HM 23W SOLAR	4X23W	3,00,000.00
SSLE T10 HM 35W SOLAR	4X35W	4,00,000.00

SOLAR HOME LIGHT SYSTEM

MoQ: 20 nos. Price is Ex works Delhi. Transportation extra as applicable.  
System includes LED BULB, LFP / Lead Acid Battery, Polycrystalline panel, Charge controller.  
Bluetooth and Hybrid Option available at extra cost.



PRODUCT CODE	CONFIGURATION	MRP
SSLE SOLAR HLS P1	3Wx3 nos Bulb, 50Wp, 40AH Lead acid Battery, 5A MPPT Charge Controller, Accessories	50,000.00
SSLE SOLAR HLS P2	2x4W bulb, 40Wp, 12AH LFP, 5A MPPT Charge Controller	55,000.00

SOLAR PANEL

MoQ: 1 Pellet. Price is Ex works Delhi. Transportation extra as applicable.  
Mono PERC panel with higher efficiency of 21%.  
DCR module available on request.  
Other rating available on request




PRODUCT CODE	PANEL RATING (WP)	MRP
SSLE SOLAR PANEL 200WP SR	200	21,000.00
SSLE SOLAR PANEL 525WP SR	525	55,000.00
SSLE SOLAR PANEL 535WP SR	535	56,000.00
SSLE SOLAR PANEL 540WP SR	540	57,000.00
SSLE SOLAR PANEL 545WP SR	545	58,000.00
SSLE SOLAR PANEL 550WP SR	550	60,000.00
SSLE SOLAR PANEL 555WP SR	555	65,000.00
SSLE SOLAR PANEL 600WP SR	600	70,000.00



## SOLAR ROOF TOP SOLUTION


Grid Connected rooftop System Solution

Rooftop System solution with Battery Bank Storage




## SOLAR ON GRID SYSTEM

This comprises of solar Panel, On Grid Inverter which converts DC to AC and export to grid in real time.





## SOLAR OFF GRID SYSTEM

This comprises of solar Panel, On Grid Inverter which converts DC to AC and export to grid in real time.



## HYBRID SYSTEM

This comprises of solar Panel, Batetry bank , Off Grid Inverter which converts DC to AC to power loads. The extra energy can be exported to grid laso . Here, DG can also be synchronised to reduce diesel consumption.





# Flameproof Lighting

## WELLGLASS / FLAME PROOF

Flameproof Wellglass is a Compact LED wellglass with system luminous efficacy of 100lm/w, high lumen Customised LPW 120 available



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE WG FP 30W IP66	30W	1	16000
SLE WG FP 35W IP66	35W	1	17920
SLE WG FP 40W IP66	40W	1	18240
SLE WG FP 45W IP66	45W	1	22080
SLE WG FP 50W IP66	50W	1	20480
SLE WG FP 60W IP66	60W	1	24000
SLE WG FP 70W IP66	70W	1	25600
SLE WG FP 80W IP66	80W	1	26880
SLE WG FP 90W IP66	90W	1	35200
SLE WG FP 100W IP66	100W	1	31040
SLE WG FP 120W IP66	120W	1	39680
SLE WG FP 150W IP66	150W	1	51200

## FLOODLIGHT / FLAME PROOF

Flameproof is a Compact LED floodlight with system luminous efficacy of 100lm/w, high lumen Customised LPW 120 available



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE FL FP 20W IP66	20W	1	16640
SLE FL FP 30W IP66	30W	1	17920
SLE FL FP 50W IP66	50W	1	22400
SLE FL FP 70W IP66	70W	1	27520
SLE FL FP 100W IP66	100W	1	32960
SLE FL FP 120W IP66	120W	1	41600
SLE FL FP 150W IP66	150W	1	51200
SLE FL FP 200W IP66	200W	1	67200
SLE FL FP 250W IP66	250W	1	92800
SLE FL FP 300W IP66	300W	1	115200

FLP BATTEN / FLAME PROOF

Flameproof is a Compact LED batten with system luminous efficacy of 100lm/w, high lumen Customised LPW 120 available



PODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BTN FP 10W IP66 2FT	10W	1	POR
SLE BTN FP 20W IP66	20W	1	POR
SLE BTN FP 2X20W IP66	40W	1	POR

HIGHBAY / FLAME PROOF


Flameproof Highbay is a Compact LED highbay with system luminous efficacy of 100lm/w, high lumen Customised LPW 120 available



PODUCT CODE	WATTAGE	CASE LOT	MRP
SLE HB FP 20W IP66	20W	1	POR
SLE HB FP 30W IP66	30W	1	POR
SLE HB FP 50W IP66	50W	1	POR
SLE HB FP 70W IP66	70W	1	POR
SLE HB FP 100W IP66	100W	1	POR
SLE HB FP 120W IP66	120W	1	POR
SLE HB FP 150W IP66	150W	1	POR
SLE HB FP 200W IP66	200W	1	POR
SLE HB FP 250W IP66	250W	1	POR
SLE HB FP 300W IP66	300W	1	POR

## STREETLIGHT / FLAME PROOF

Flameproof is a Compact LED streetlight with system luminous efficacy of 100lm/w, high lumen customised LPW 120 available



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE UL FP 20W IP66	20W	1	POR
SLE UL FP 30W IP66	30W	1	POR
SLE UL FP 50W IP66	50W	1	POR
SLE UL FP 70W IP66	70W	1	POR
SLE UL FP 100W IP66	100W	1	POR
SLE UL FP 120W IP66	120W	1	POR
SLE UL FP 150W IP66	150W	1	POR
SLE UL FP 200W IP66	200W	1	POR
SLE UL FP 250W IP66	250W	1	POR
SLE UL FP 300W IP66	300W	1	POR

## CLEANROOM / FLAME PROOF

Flameproof cleanroom is a compact LED cleanroom with system luminous efficacy of 100lm/w, high lumen Customised LPW 120 available



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE CLR FP B0 45 22	45W	1	POR
SLE CLR FP B0 60 22	60W	1	POR
SLE CLR FP T0 45 22	45W	1	POR
SLE CLR FP T0 60 22	60W	1	POR

## BULKHEAD / FLAME PROOF

Flameproof bulkhead is a Compact LED bulkhead with system luminous efficacy of 100lm/w, high lumen Customised LPW 120 available



PRODUCT CODE	WATTAGE	CASE LOT	MRP
SLE BLH FP 20W	20W	1	POR
SLE BLH FP 30W	30W	1	POR
SLE BLH FP 50W	50W	1	POR



# Facade Lighting

## LINEAR / LED LIGHT

Mono Color options 3K/4K/5K, Red, Green, Amber, BLUE, RGB / RGBA Linears with On/Off or DMX control available upon request.

PRODUCT CODE	MRP
SLE BLSM 18W IP66 RGBW LINEAR	POR
SLE BLSM 24W IP66 RGBW LINEAR	POR
SLE BLSM 36W IP66 RGBW LINEAR	POR
SLE BLSM 48W IP66 RGBW LINEAR	POR

## LINEAR / LED SERIES

Mono Color options 3K/4K/5K, Red, Green, Amber, BLUE, RGB / RGBA Linears with On/Off or DMX control available upon request.

PRODUCT CODE	MRP
SLE BLSM 60W IP66 RGBW LINEAR	POR
SLE BLSM 72W IP66 RGBW LINEAR	POR
SLE BLSM 80W IP66 RGBW LINEAR	POR

## SFL / LED FLOOD SERIES

Mono Color options 3K/4K/5K, Red, Green, Amber, BLUE, RGB / RGBA Linears with On/Off or DMX control available upon request.

PRODUCT CODE	MRP
SLE BLSM 18W IP66 RGBW SFL	POR
SLE BLSM 24W IP66 RGBW SFL	POR

PRODUCT CODE	MRP
SLE BLSM 30W IP66 RGBW SFL	POR
SLE BLSM 36W IP66 RGBW SFL	POR
SLE BLSM 45W IP66 RGBW SFL	POR
SLE BLSM 54W IP66 RGBW SFL	POR

PRODUCT CODE	MRP
SLE BLSM 72W IP66 RGBW SFL	POR
SLE BLSM 90W IP66 RGBW SFL	POR





PRODUCT CODE	MRP
SLE BLSM 100W IP66 RGBW SFL	POR
SLE BLSM 120W IP66 RGBW SFL	POR
SLE BLSM 150W IP66 RGBW SFL	POR



PRODUCT CODE	MRP
SLE BLSM 200W IP66 RGBW SFL	POR
SLE BLSM 400W IP66 RGBW SFL	POR



## RFL / LED FLOOD SERIES

Mono Color options 3K/4K/5K, Red, Green, Amber, BLUE, RGB / RGBA Linears with On/Off or DMX control available upon request.

PRODUCT CODE	MRP
SLE BLSM 18W IP66 RGBW RFL	POR
SLE BLSM 24W IP66 RGBW RFL	POR



PRODUCT CODE	MRP
SLE BLSM 30W IP66 RGBW RFL	POR
SLE BLSM 36W IP66 RGBW RFL	POR
SLE BLSM 45W IP66 RGBW RFL	POR
SLE BLSM 54W IP66 RGBW RFL	POR



PRODUCT CODE	MRP
SLE BLSM 72W IP66 RGBW RFL	POR
SLE BLSM 90W IP66 RGBW RFL	POR
SLE BLSM 100W IP66 RGBW RFL	POR
SLE BLSM 120W IP66 RGBW RFL	POR



## RFL / LED FLOOD LIGHT

Mono Color options 3K/4K/5K, Red, Green, Amber, BLUE, RGB / RGBA Linears with On/Off or DMX control available upon request.

PRODUCT CODE	MRP
SLE BLSM 72W IP66 RGBW RFL	POR
SLE BLSM 90W IP66 RGBW RFL	POR
SLE BLSM 100W IP66 RGBW RFL	POR
SLE BLSM 120W IP66 RGBW RFL	POR



## UNICORN / SERIES

PRODUCT CODE	MRP
SLE BLSM 380W IP66 RGBW	POR
SLE BLSM 450W IP66 RGBW	POR
SLE BLSM 500W IP66 RGBW	POR
SLE BLSM 650W IP66 RGBW	POR
SLE BLSM 780W IP66 RGBW	POR



## PIXEL / SERIES

PRODUCT CODE	MRP
SLE BLSM DOT 10 RGB/RGBW T1	POR
SLE BLSM DOT 15 RGB/RGBW T1	POR
SLE BLSM DOT 20 RGB/RGBW T1	POR
SLE BLSM DOT 30 RGB/RGBW T1	POR



PRODUCT CODE	MRP
SLE BLSM DOT 10 RGB/RGBW T2	POR
SLE BLSM DOT 15 RGB/RGBW T2	POR
SLE BLSM DOT 20 RGB/RGBW T2	POR
SLE BLSM DOT 30 RGB/RGBW T2	POR



## FLEXIBLE / LED STRIP LIGHT

PRODUCT CODE	MRP
SLE BLSM 10W IP68 STRIP	POR
SLE BLSM 15W IP68 STRIP	POR
SLE BLSM 20W IP68 STRIP	POR



DMX / ACCESSORIES

PRODUCT CODE	MRP
DMX CONTROLLER 1 UNIVERSE	POR
DMX CONTROLLER 2 UNIVERSE	POR



PRODUCT CODE	MRP
DMX SPLITTER 1 -TO - 4	POR
DMX SPLITTER 1 -TO - 8	POR



PRODUCT CODE	MRP
DMX CABLE	POR



PRODUCT CODE	MRP
DMX CONNECTOR IP68	POR





**Lighting Mast** - Manufacturing range from 10m to 40m, available with latching option.

**Street Lighting Pole** - Manufacturing range from 3m to 12m

**Flag Mast** - Manufacturing as per customer requirement

**Camera Pole** - Manufacturing as per customer requirement

High Mast Specifications at a glance					
Height	30M	25M	20M	16M	12.5M
No. of sections	3	3	2	2	2
Base & Top outer dia in mm OAF	540 & 150	450 & 150	410 & 150	360 & 150	360 & 100
Thickness of sections in mm.	5/4/4	5/4/4	4/3	4/3	3/3
Base plate dia in mm.	740x30	740x30	570x25	560x25	520x25
PCD in mm.	650	650	490	460	445

Common Features	
Slip-stress fit	
Raising/lowering speed	3 meters/min
Lubrication arrangement & type	Permanent oil bath - SAE 90/140
SS wire rope	AISI 316, 7/19 Const
*Dia of rope & breaking load	6 mm & 2350 kg/rope
Lifting capacity	500 to 750 kg
Trailing cable	ERP/PCP Sheathed Multi core flexible copper
Power tool (reversible)	440V, 50HZ, 1HP/1.5HP

**Other customized sizes in Highmast, Signage & Flagmast are offered as per customer's requirement.**

- ▲ 2 Section Mast for 12/16/20 Mt.
- ▲ 3 Section Mast for 20/25/30 Mt.
- ▲ 4 Section Mast for 35/40 Mt.
- ▲ Wind velocity upto 225 km/hr
- ▲ Galvanized Steel
- ▲ 2/3 Pulley Wire Rope System
- ▲ Motorised & Manually operated Winch for Lantern Carriage
- ▲ Flood light luminaires

**Applications**

Flyovers	Dockyards	Toll Plaza
Road Junctions	Coal Yards	Flag Mast
Parks	Power Plants	Sea Ports
Parking Areas	Container Terminals	Sports Stadium
Airport Aprons	Petrol Pumps	

Specifications							
Octagonal Hot-Dip Galvanised street light poles							
Cat Ref.	Height	Top Dia. (A/F)	Bottom Dia. (A/F)	Sheet Thickness	Base Plate Dimensions L x W x T	Foundation bolts (No.x Dia x Length)	PCD
Unit	Mtrs.	mm	mm	mm	mm	mm	mm
SRL-OP-303	3	70	130	3	200x200x12	4xM16x450	200
SRL-OP-403	4	70	130	3	200x200x12	4xM16x450	200
SRL-OP-503	5	70	130	3	200x200x12	4xM16x600	200
SRL-OP-603	6	70	130	3	200x200x12	4xM20x600	220
SRL-OP-703	7	70	130	3	220x220x12	4xM20x700	220
SRL-OP-803	8	70	135	3	225x225x16	4xM20x700	225
SRL-OP-903	9	70	155	3	260x260x16	4xM24x750	260
SRL-OP-1003	10	70	175	3	275x275x16	4xM24x750	275
SRL-OP-1103	11	90	210	3	300x300x20	4xM24x850	300
SRL-OP-1203	12	90	240	3	325x325x20	4xM24x850	325

Other customized sizes & specifications are offered as per customer’s requirement.

Standard essential assessories offered with light poles  
Foundation bolts and template

Hot Dip Galvanised Bracket Arms



SBA-01



SBA-02




SBA-03




SBA-04



Galvanised Octagonal Poles





# Aviation Lighting

## AVIATION / LIGHT

Low intensity Aviation light

PRODUCT CODE	UNIT	MRP
SLE AL S LDR SEN IP65	1	9000
SLE AL T LDR SEN IP65	1	17300









## Important Note

1. MRP is inclusive of GST.
2. Ordering of Luminaires & Lamps needs to be done on case lot basis No guarantee offered for transit damage in case of the broken-down case lot.
3. Warranty voids for LED fixture including drivers, if individual points of installation are not provided with proper earthing.
4. Based on improvements our products are subject to up-gradation which may result in change of design, shape & data if compared to the products as appearing in the price list.
5. Customer is advised to reconfirm the data or product dimensions before purchase with our local representative.
6. This price list supersedes all earlier price list & company reserves the right to issue amendments which may arise due to any errors in the price list, without any prior notice.
7. Disputes, if any are subject to Delhi Jurisdiction only.

#### AHMEDABAD

101, SHAFALI CENTRE, NEAR PALDI,  
CHAR RASTA,  
AHMEDABAD - 380006 (GUJARAT)  
E-mail: lighting.ahmedabad@surya.in

#### BAHADURGARH

PRAKASH NAGAR, DELHI-ROHTAK ROAD,  
BAHADURGARH -124 507 (HARYANA)

#### BENGALURU

SURVEY NO. 58/1 & 59/2, ANCHEPALYA  
VILLAGE, KAMBIPURA KENGERI HOBLI,  
NEXT TO MANJUNATHA AYURVEDIC  
COLLEGE, MYSORE ROAD,  
BENGALURU - 560060 (KARNATAKA)  
E-mail: lighting.bangalore@surya.in

#### BHUBANESHWAR

PLOT NO. 111/762 ,  
MOUZAIRUDRAPUR PO-PAHAL,  
HIGHWAY HONDA SHOWROOM, NH-5,  
BHUBANESHWAR -752101 (ORISSA)  
Email: lighting.bhubneshwar@surya.in

#### CHENNAI

SHED NO. C-3, DOOR NO. 4 / 195,  
REDHILLS, AMBATTUR ROAD, PUZHAI,  
CHENNAI - 600066.  
Email : lighting.chennai@surya.in

#### COIMBATORE

DOOR NO. 429/1 V.V.C COLONY,  
OPP TO CARMEL GARDEN SCHOOL,  
PULIAKULAM MAIN ROAD,  
COIMBATORE - 641045. (TAMIL NADU)

#### DEHRADUN

JOGIWALA, NEAR KAILASH HOSPITAL,  
LANE NO. 3, HARIDWAR ROAD,  
DEHRADUN -248005. (UTTARAKHAND)  
E-mail: lighting.uttarakhand@surya.in

#### DELHI

KHASRA NO. 915-916, GULERIA HOUSE,  
(BASEMENT) NEAR RICE MILL,  
RITHALA, VILLAGE, NEW DELHI -110085  
E-mail: lighting.delhi@surya.in

#### GHAZIABAD

INDUSTRIAL PLOT NO.16B& 17B,  
KHASRA NO 13, MAINAPUR INDUSTRIAL AREA,  
MEERUT ROAD, GHAZIABAD -201003  
E-mail: lighting.ghaziabad@surya.in

#### GUWAHATI

C/O GYANSTHAL MITTAL COMPOUND,  
NEAR HOLY HOME SEC. SCHOOL - PAMOHI,  
DISTT. - KAMRUP, GUWAHATI - 781035 (ASSAM)  
E-mail: lighting.guwahati@surya.in

#### HUBLI

No.16/1 MAHAVEER WARE HOUSE,  
BEHIND JAIN TAMPLE, P.B. ROAD NEW GABBUR,  
HUBLI - 580030 (KARNATAKA)

#### INDORE

C/O INDORE AEROMATIICS,  
VILL. TALAWALI CHAND, TEHSIL-SANWER,  
A.B. ROAD, INDORE- 453771 (M.P.)  
E-mail: lighting.indore@surya.in

#### JABALPUR

KHASRA NO. 21/6, BEHIND HONDA SHOWROOM,  
GRAM KATHONDA, NEAR KATANGI BYPASS  
CHOWK,  
JABALPUR -482002 (M.P.)  
E-mail: lighting.jabalpur@surya.in

#### JAIPUR

429, 4TH FLOOR,  
GANPATI PLAZA, M.I. ROAD,  
JAIPUR - 302013 (RAJASTHAN)  
E-mail: lighting.jaipur@surya.in

#### KOCHI

49/681-C, NEAR SHIVA TEMPLE,  
PUTHUKALAVATOM, P.O. ELAMAKKAR,  
ERNAKULAM, KOCHI - 682026 (KERALA)  
E-mail: lighting.kochi@surya.in

#### KOLKATA

55, EZRA STREET, 4TH FLOOR YAMUNA BHAWAN,  
KOLKATA- 700001 (WEST BENGAL)  
E-mail: lighting.kolkata@surya.in

#### LUCKNOW

PLOT NO. C -57, TRANSPORT NAGAR,  
PHASE - 2, LUCKNOW - 226012 (U.P.)  
E-mail: lighting.lucknow@surya.in

#### MADURAI

NO. 21, BYPASS ROAD, AVANIAPURAM,  
MADURAI -625012 (TAMILNADU)

#### MUMBAI

OFFICE NO. 601, B-WING, 6TH FLOOR,  
HERMES ATRIUM PREMISES,  
PLOT NO. 57, SECTOR-II, CBD - BELAPUR,  
NAVI MUMBAI - 400614. (MAHARASHTRA)  
E-mail: lighting.mumbai@surya.in

#### NAGPUR

PLOT NO. 155/162 KHASRA NO. 183,  
MOUZA LAVA, LAVA FETRI ROAD,  
NAGPUR - 440023. (MAHARASHTRA)  
E-mail: lighting.nagpur@surya.in

#### PATNA

PATNAGAYAMAIN ROAD,  
OLD RELIANCE WARE HOUSE,  
VILLAGE BAIRIYA, PATNA- 800007 (BIHAR)  
E-mail: lighting.patna@surya.in

#### PUNE

OM SAI WAREHOUSE ,  
SR. NO 35/71 URULI DEVACHI, HADPSAR,  
PUNE - 412 308. (MAHARASHTRA)  
E-mail: lighting.pune@surya.in

#### RAIPUR

L.K. CORPORATION & LOGISTIC PARK,  
BLOCK - B, WARE HOUSE NO. 99, 100, 101,  
NH-30, NEW DHAMTARI ROAD, DUMARTARAI,  
RAIPUR - 492015 (CHATTISGARH)  
E-mail: lighting.raipur@surya.in

#### RANCHI

DALADALI CHOWK, SIMALIYA ,RATU,  
NEAR BSNL TOWER, RING ROAD,  
RANCHI - 834009 (JHARKHAND)  
E-mail: lighting.ranchi@surya.in

#### SECUNDERABAD

NO. 132/133 PART, NEAR KANDLAKOYA  
BUS STAND, SAI GEETA AASHRAM ROAD,  
KANDLAKOYA, MEDCHAL,  
MALKAJIGIRI DISTT. PIN 501401  
E-mail: lighting.secunderabad@surya.in

#### SILIGURI

C/O MIS SUMAN TEA & PLYWOOD  
INDUS. PVT. LTD., NEAR P.C.MITIAL BUS STAND,  
2ND MILE SEVOKE ROAD, P.S.BHAKTI NAGAR,  
SILIGURI - 734001. (WEST BENGAL)

#### VARANASI

ARAJI NO 352, MAUJA- KESARIPUR,  
ROHANIYA, G.T. ROAD,  
NEAR DHANPAT CONVENT HIGH SCHOOL,  
VARANASI-221106, (U.P.)

#### VIJAYWADA

D.NO. 2-9, ROHINI RICE MILL, ENIKEBADU,  
VIJAYWADA - 521108  
E-mail: lighting.vijaywada@surya.in

#### VISAKHAPATNAM

PLOT No. 48, APPAREL EXPORT PARK,  
AUTO NAGAR, NEAR THUNGALAM VILLAGE,  
GAJJUWAKA MANDAL,  
VISAKHAPATNAM - 530012

#### WARANGAL

PLOT NO.- 55&56,  
IDA MADIKONDA, KAZIPET (MANDAL),  
WARANGAL - 506142

#### ZIRAKPUR

KHASRA NO. 1684/11, VILLAGE BHABAT HADBAST  
NO. 234, MC ZIRAKPUR, DERABASSI,  
ZIRAKPUR - 140603. (PUNJAB)  
E-mail: lighting.zirakpur@surya.in

# SURYA

Surya Roshni Limited  
Padma Tower - 1, Rajendra Place,  
New Delhi - 110008 (INDIA)

Tel.: +91-11-47108000, 25810093-96  
Fax: +91-11-25789560  
E-mail: [consumercare@surya.in](mailto:consumercare@surya.in)

Visit Us At :  
[www.surya.co.in](http://www.surya.co.in)  
or  
Scan QR Code



**TOLL FREE - 1800 102 5657**

Connect Us

